PROPOSED AMENDED RULE 1401.1 REQUIREMENTS FOR NEW AND RELOCATED FACILITIES NEAR SCHOOLS

(a) Purpose

The purpose of this rule is to provide additional health protection to children at $s\underline{S}$ chools or $s\underline{S}$ chools $u\underline{U}$ nder $e\underline{C}$ onstruction from $n\underline{N}$ ew Facilities or $r\underline{R}$ elocated $f\underline{F}$ acilities emitting toxic air contaminants.

(b) Applicability

This rule applies to <u>nNew Facilities</u> and <u>rRelocated Facilities</u>, but not to <u>eExisting fFacilities</u>. Applications for Permit to Construct/Operate from such <u>nNew Facilities</u> or <u>rRelocated fFacilities</u> shall be evaluated under this rule using the list of toxic air contaminants in the version of Rule 1401, <u>and</u> the risk assessment procedures, <u>and the Rule 1401.1 provisions</u> that are in effect at the time the application is deemed complete.

(c) Definitions

- (1) CANCER RISK means, for the purpose of this rule, the estimated probability of an exposed individual contracting cancer as a result of exposure to toxic air contaminants at a Sschool or a Sschool Uunder Ceonstruction calculated pursuant to Rule 1401 (d).
- (2) CALIFORNIA ENVIRONMENTAL QUALITY ACT NOTICE (CEQA NOTICE) means, for the purpose of this rule, a Notice of Preparation of project level Environmental Impact Report was sent to the appropriate agencies pursuant to Section 15082 of the CEQA Guidelines or a Notice of Intent to Adopt a Negative Declaration or Mitigated Negative Declaration was provided to the parties pursuant to Section 15072 pursuant to the CEQA Guidelines.
- (3) EXISTING FACILTY means any <u>F</u>facility that:
 - (A) demonstrates to the satisfaction of the Executive Officer that it had equipment requiring a Permit to Construct/Operate that was in operation prior to November 4, 2005 or

- (B) has an application for Permit to Construct/Operate that is deemed complete prior to February 2, 2006.
- (4) FACILITY means any Ppermit Uunit or grouping of permit units or other air contaminant-emitting activities which are located on one or more contiguous properties within the District, in actual physical contact or separated solely by a public roadway or other public right-of-way, and are owned or operated by the same person (or by persons under common control), or an outer continental shelf (OCS) source as determined in 40 CFR Section 55.2. Such above-described groupings, if noncontiguous, but connected only by land carrying a pipeline, shall not be considered one facility. Notwithstanding the above, sources or installations involved in crude oil and gas production in Southern California Coastal or OCS Waters and transport of such crude oil and gas in Southern California Coastal or OCS Waters shall be included in the same facility which is under the same ownership or use entitlement as the crude oil and gas production Ffacility on-shore.
- (5) FACILITY-WIDE ACUTE HAZARD INDEX means the sum of the calculated individual substance acute hazard indices for the target organ due to all toxic air contaminants emitted from all equipment requiring a written permit to operate at the Ffacility.
- (6) FACILITY-WIDE CANCER RISK means the sum of the calculated cancer risk values for all toxic air contaminants emitted from all equipment requiring a written permit to operate at the <u>Ffacility</u>.
- (7) FACILITY-WIDE CHRONIC HAZARD INDEX means the sum of the calculated individual substance chronic hazard indices for the target organ due to all toxic air contaminants emitted from all equipment requiring a written permit to operate at the Ffacility.
- (8) INDIVIDUAL SUBSTANCE ACUTE HAZARD INDEX (HI) means the ratio of the estimated maximum one-hour concentration of a toxic air contaminant for a potential maximally exposed individual at the <u>S</u>school to its acute reference exposure level.
- (9) INDIVIDUAL SUBSTANCE CHRONIC HAZARD INDEX (HI) means the ratio of the estimated long-term level of exposure to a toxic air contaminant for a potential maximally exposed individual at the <u>S</u>school to its chronic reference exposure level. The chronic hazard index calculations shall include multipathway consideration, if applicable.

- (10) MODIFICATION means any physical change in, change in method of operation, or addition to an existing <u>P</u>permit <u>U</u>unit that requires an application for a Permit to Construct/Operate. Routine maintenance and/or repair shall not be considered a physical change. A change in the method of operation of equipment, unless previously limited by an enforceable permit condition, shall not include:
 - (A) an increase in the production rate, unless such increase will cause the maximum design capacity of the equipment to be exceeded; or
 - (B) an increase in the hours of operation; or
 - (C) a change in ownership of a source; or
 - (D) a change in formulation of the materials processed which will not result in a net increase of the MICR, cancer burden, or chronic or acute HI from the associated permit unit.

For <u>F</u>facilities that have been issued a <u>F</u>facility permit pursuant to Regulation XX or a Title V permit pursuant to Regulation XXX, <u>M</u>modification means any physical change in, change in method of operation of, or addition to an existing individual article, machine, equipment or other contrivance which would have required an application for a permit to construct and/or operate, were the unit not covered under a Ffacility permit or Title V permit.

- (11) NEW FACILITY means a <u>F</u>facility or an operation that is not an <u>E</u>existing or <u>R</u>relocated <u>F</u>facility.
- PERMIT UNIT means any article, machine, equipment, or other contrivance, or combination thereof, which may cause or control the issuance of air contaminants, and which requires a written permit pursuant to Rules 201 and/or 203. For facilities that have been issued a Ffacility permit or Title V permit, a Ppermit Uunit for the purpose of this rule means any individual article, machine, equipment or other contrivance which may cause or control the issuance of air contaminants and which would require a written permit pursuant to Rules 201 and/or 203 if it were not covered under a facility permit or Title V permit. For publicly-owned sewage treatment operations, each process within multiprocess permit units at the Ffacility shall be considered a separate Ppermit Uunit for purposes of this rule.
- (13) RELOCATED FACILITY means the removal of all existing permitted equipment, remaining under the same ownership, from one parcel of land

- and installation of the same equipment or functionally identical replacement of the equipment at another parcel of land where the two parcels are not in actual physical contact and are not separated solely by a public roadway or other public right-of-way.
- (14) SCHOOL means any public or private sSchool, including juvenile detention facilities with classrooms, used for purposes of the education of more than 12 children at the sSchool, including in kindergarten through and grades 1 to 12, inclusive, but does not include any private school in which education is primarily conducted in private homes. sSchool also means an Early Learning and Developmental Program by the U.S. Department of Education or any state or local early learning and development programs such as pre-schools, Early Head Start, Head Start, First Five, and Child Developmental Centers. A School does not include any private School in which education is primarily conducted in private homes. The term includes any building or structure, playground, athletic field, or other area of Sschool property, but does not include unimproved school property.
- (15) SCHOOL UNDER CONSTRUCTION means any property that meets any of the following conditions and the Executive Officer has been notified:
 - (A) construction of a Sschool has commenced; or
 - (B) of a CEQA Notice for the construction of a Sschool; or
 - (C) a <u>sS</u>chool has been identified in an approved local government specific plan.

A sSchool uUnder eConstruction is effective upon the date in which any one of the activities specified in either subparagraph (c)(15)(A), (c)(15)(B), or (c)(15)(C) occurs or the date the Executive Officer has received notification of the activities, whichever is later.

(d) Risk Requirements for New Facilities

The Executive Officer shall deny a Permit to Construct/Operate at a New Feacility for any Permit Uunit that emits any toxic air contaminant listed in Table I of Rule 1401 unless the applicant has substantiated to the satisfaction of the Executive Officer that all of the following requirements, as applicable, have been achieved. For the purpose of this rule, the Ceancer Reisk and hazard indices shall be calculated pursuant to Rule 1401 and the applicable risk assessment

procedures. Requirements for new facilities are summarized in Table 1 – Summary of Requirements for New Facilities.

- (1) A <u>N</u>new <u>F</u>facility with a toxic-emitting source that is within 500 feet from the outer boundary of a <u>S</u>school or <u>S</u>school <u>U</u>nder <u>C</u>eonstruction shall comply with all of the following requirements.
 - (A) Cancer Risk

The <u>F</u>facility-<u>W</u>wide <u>C</u>eancer <u>R</u>risk shall not exceed one in one million

(1 x 10⁻⁶) at any <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction within 500 feet of the toxic-emitting <u>P</u>permit <u>U</u>unit(s) at the <u>F</u>facility; and

- (B) Chronic Hazard Index
 - The <u>F</u>facility-<u>W</u>wide <u>C</u>ehronic HI for any target organ system shall not exceed 1.0 at any <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction within 500 feet of the toxic-emitting <u>P</u>permit <u>U</u>unit(s) at the <u>F</u>facility; and
- (C) Acute Hazard Index
 The Ffacility-Wwide Aacute HI for any target organ system shall not exceed 1.0 at any Sschool or Sschool Uunder Ceonstruction within 500 feet of the toxic-emitting Ppermit Uunit(s) at the Ffacility.
- For a New Ffacility where the closest outer boundary of a Sechool or Sechool Utender Ceonstruction is between 500 to 1,000 feet from the toxic-emitting Permit Utenit(s) and there is no residential or sensitive receptor within 150 feet of the proposed toxic-emitting Permit Utenit(s), the Ffacility shall not exceed the risk levels specified in subparagraphs (d)(1)(A), (d)(1)(B), and (d)(1)(C) at any Sechool or Sechool Utender Ceonstruction within 1,000 feet of the toxic-emitting Permit Utenit(s) at the Ffacility.

(e) Risk Requirements for Relocated Facilities

The Executive Officer shall deny a Permit to Construct/Operate at a Replocated Facility for any Ppermit Uunit that emits any toxic air contaminant listed in Table I of Rule 1401 unless the applicant has substantiated to the satisfaction of the Executive Officer that all of the following requirements, as applicable, have been achieved. For the purpose of this rule, the Ceancer Reisk and hazard indices shall be calculated pursuant to Rule 1401 and the applicable risk assessment

procedures. Requirements for <u>R</u>relocated <u>F</u>facilities are summarized in Table 2 – Summary of Requirements for Relocated Facilities. For each <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction whose outer boundary is within 500 feet of the toxicemitting <u>P</u>permit <u>U</u>unit(s) at a <u>R</u>relocated <u>F</u>facility, the <u>R</u>relocated <u>F</u>facility shall demonstrate that either:

- (1) The <u>F</u>facility-<u>W</u>wide <u>C</u>eancer <u>R</u>risk and hazard indices at each <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction do not exceed the risk values at the same <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction when the <u>F</u>facility was at its previous location; or
- The <u>F</u>facility-<u>W</u>wide <u>C</u>eancer <u>R</u>risk at the <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction does not exceed 1 in one million and the <u>F</u>facility-<u>W</u>wide <u>C</u>ehronic and <u>A</u>acute <u>H</u>hazard indices for any target organ system do not exceed 1.0.
- (f) Risk Calculations for New and Relocated Facilities
 - The owner or operator of a <u>Nnew Ffacility</u> complying with the requirements specified under paragraphs (d)(1) or (d)(2), or the owner or operator of a <u>Relocated Ffacility</u> complying with the requirements specified under paragraphs (e)(1) or (e)(2), shall calculate the risk for any <u>Sschools or Sschools Uunder construction</u> at the time of a CEQA Notice for the <u>Nnew or Relocated Ffacility</u> or, if there is no CEQA Notice for the <u>Nnew or Relocated Ffacility</u>, at the time the first permit application is deemed complete.
 - (2) If the owner or operator of a <u>N</u>new or <u>R</u>relocated <u>F</u>facility subject to (f)(1) does not commence construction within three years of the CEQA Notice for the <u>N</u>new or <u>R</u>relocated <u>F</u>facility, the owner or operator shall calculate the risk for any <u>S</u>schools or <u>S</u>schools <u>U</u>nder <u>C</u>eonstruction at the time the application for Permit to Construct/Operate is deemed complete, unless the owner or operator has submitted written verification to the Executive Officer that the CEQA Notice is still applicable for the <u>N</u>new or <u>R</u>relocated facility.
- (g) Requirements for New or Relocated Facilities for Additional Information in Rule 212 Notices
 - When public notice is required by subparagraph (c)(1) of Rule 212, any \underline{N} new or \underline{R} relocated \underline{F} facility with toxic-emitting \underline{P} permit \underline{U} unit(s) within 1,000 feet of the

outer boundary of a <u>S</u>school that has a <u>F</u>facility-<u>W</u>wide <u>C</u>eancer <u>R</u>risk exceeding one in one million at any such <u>S</u>school shall include in the notice the <u>F</u>facility-<u>W</u>wide <u>C</u>eancer <u>R</u>risk at that <u>S</u>school in addition to the information required pursuant to Rule 212 – Standards for Approving Permits and Issuing Public Notice.

- (h) Requirements for New or Relocated Facilities for New Equipment, Modification, Alteration, and Change of Condition
 - For any subsequent application for new equipment or <u>M</u>modification, alteration, and change of conditions of a permit to operate, regardless of whether it remains under the same ownership, any <u>N</u>new or <u>R</u>relocated <u>F</u>facility subject to Rule 1401.1 shall:
 - (1) meet the requirements of subdivisions (d), (e), (f), and (g), as applicable; and
 - (2) be required to calculate cancer and non-eancer risk Cancer Risk or add risk values for Rule 212 notices for any School specified in subdivisions (d), (e), (f), and (g), whichever is applicable.

(i) Exemptions

- (1) The following equipment is exempt from inclusion in the <u>F</u>facility-<u>W</u>wide <u>C</u>eancer <u>R</u>risk, <u>F</u>facility-<u>W</u>wide <u>A</u>acute <u>H</u>hazard <u>I</u>index, and <u>F</u>facility-<u>W</u>wide <u>C</u>ehronic Hhazard <u>I</u>index for this rule.
 - (A) Emergency internal combustion engines that are exempted from modeling and offset requirements under Rule 1304.
 - (B) Engines subject to Rule 1470 Requirements for Stationary Diesel-Fueled Internal Combustion Engines and Other Compression Ignition Engines.
 - (C) Equipment permitted solely for in-situ remediation of contaminated soil and/or groundwater.
 - (D) Equipment permitted for use at various locations throughout the District and that does not remain at one site for more than 12 consecutive months.
 - (E) Experimental research operations permitted under Rule 441 Research Operations operating for one year or less.
 - (F) Equipment located at new or relocated facilities that are exempted from a written permit under Rule 219.

(Version 12-09-2022)

(2) If the Executive Officer has been notified and can confirm that a <u>S</u>school will not be constructed at a specific location, that property is no longer considered a <u>S</u>school <u>U</u>under <u>C</u>eonstruction pursuant to paragraph (c)(15).

Table 1 – Summary of Requirements for New Facilities

Distance from New Facility to Nearest School or	Other Residentia l or Sensitive	*Risk Demonstration at School at < 500 ft	*Risk Demonstration at School at 500 – 1,000 ft	Rule 212 Additional Information	Meet Requirements for Future Applications
School Under Construction	Receptor at < 150 ft	Paragraph (d)(1)	Paragraph (d)(2)	Subdivision (f	Subdivision (g <u>h</u>)
< 500 feet	N/A	Yes	N/A	N/A	Yes
500 - 1,000 ft	Yes	N/A	N/A	Yes	Yes
500 - 1,000 ft	No	N/A	Yes	N/A	Yes

^{*}Risk Demonstration at <u>S</u>school or <u>S</u>school <u>U</u>under <u>C</u>eonstruction for New Facility: ≤ 1 in one million <u>C</u>eancer <u>R</u>risk and hazard indices ≤ 1.0

Table 2 – Summary of Requirements for Relocated Facilities

Distance from Relocated Facility to Nearest School	*Risk Demonstration at School at < 500 ft	Rule 212 Additional Information	Meet Requirements for Future Applications
or School Under Construction	Subdivision (e)	Subdivision (f	Subdivision (g h)
< 500 feet	Yes	Yes	Yes
500 – 1,000 ft	N/A	Yes	Yes

^{*}Risk Demonstration at school or <u>S</u>school <u>U</u>ander <u>C</u>eonstruction for Relocated Facility: ≤ 1 in one million cancer risk and hazard indices ≤ 1.0 or no increase in <u>C</u>eancer r<u>R</u>isk or hazard indices