

BOARD MEETING DATE: September 9, 2011

AGENDA NO. 14

REPORT: Hearing Board Report

SYNOPSIS: This reports the actions taken by the Hearing Board during the period of June 1 through July 31, 2011.

COMMITTEE: Not Applicable

RECOMMENDED ACTION:

Receive and file this report.

Edward Camarena
Chairman of Hearing Board

DP

Three summaries are attached: **Rules From Which Variances and Orders for Abatement Were Requested in 2011 and June 2011 and July 2011 Hearing Board Cases.**

The total number of appeals filed during the period June 1 to July 31, 2011 is 0; and total number of appeals filed during the period of January 1 to July 31, 2011 is 0.

Report of June 2011 Hearing Board Cases

Case Name and Case No.	Rules	Reason for Petition	District Position/ Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
1. Anthony International Case No. 4797-2 (J. Voge)	202(b) 203(b) 3002(c)(1)	Source testing protocol requires source to exceed permitted coating use limit.	Not Opposed/Granted	IV granted commencing 6/30/11 and continuing for 90 days or until the RV hearing currently scheduled for 8/4/11, whichever comes first.	PM10: TBD due by 7/15/11
2. Chevron Products Company Case No. 831-358 (J. Voge)	203(b) 464(b)(1)(A) 464(b)(2) 464(b)(3) 1176(e)(1) 1176(e)(2) 2004(f)(1) 3002(c)(1)	Oil water separator serving refinery effluent treatment plant must be taken out of service for maintenance.	Not Opposed/Granted	SV granted commencing 6/13/11 and continuing through 6/16/11.	VOC: 224.8 lbs/total variance period
3. Inland Empire Energy Center, LLC Case No. 5695-6	202(a) 2004(f)(1) 2012, App. A, Att. C, B.2 2012, App. A Att. C, B.2.a 2012, Chap. 2, A.1 3002(c)(1)	Combined cycle generator is down for repairs, RATA could not be conducted before June 30, 2011 deadline.	Not Opposed/Granted	SV granted commencing 7/1/11 and continuing through 9/28/11.	None
4. Los Angeles Department of Water and Power Case No. 1263-60 (N. Sanchez)	203(b) 2004(f)(1) 2012, Att. C, B.2.a 3002(c)(1)	Gas fired power generation boiler is down for major repairs. RATA could not be conducted by June 30, 2011 deadline.	Not Opposed/Granted	RV granted commencing 6/29/11 and continuing through 6/30/11, the FCD.	None
5. Paramount Petroleum Corporation Case No. 2914-110 (K. Manwaring)	202(b) 203(b) 2004(f)(1) 2011(c)(2) 2012(c)(2) 3002(c)(1)	CEMS serving incinerator acting as APC for refinery sulfur plant could not be repaired within 96 hour grace period.	No Opposed/Granted	EX Parte EV granted commencing 6/15/11 and continuing through 6/17/11.	None

Case Name and Case No.	Rules	Reason for Petition	District Position/ Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
6. SCAQMD vs. Eli Industries, Inc. Case No. 5818-1 (J. Voge)	201 203(a)	Respondent operating spray booth without valid permit to operate.	Not Stipulated/Issued	O/A issued commencing 6/8/11 and continuing through 7/8/11. The Hearing Board shall retain jurisdiction over this matter until Respondent achieves compliance with District rule requirements.	N/A
7. SCAQMD vs. Jose Magallanes, individually and dba Transform Quality Body Work & Paint Case No. 5817-1 (K. Manwaring)	203(a)	Respondent operating paint spray booth without valid permit to operate.	Not Stipulated/Issued	O/A Issued commencing 6/16/11, Respondent is ordered to cease and desist operating the paint booth at the facility. Respondent shall not resume use of equipment unless or until Respondent files a complete application for a permit to operate and paid all fees in cash or with cashier's check.	N/A
8. SCAQMD vs. Kenny Strickland, Inc. Case No. 5822-1 (N. Sanchez)	461(c)(1)(B)	Respondent operating above ground gasoline storage tank without CARB certified VRS.	Stipulated/Issued	O/A issued commencing 6/2/11 and continuing through 1/15/12. The Hearing Board shall retain jurisdiction over this matter until 1/15/12.	N/A
9. SCAQMD vs. Stationary Diesel-Fueled Internal Combustion Engine Facilities, Does 1-100 Case No. 5823-1 (N. Sanchez)	1470	Respondent operating stationary diesel fueled ICE in violation of Tier 4 interim emission standards embodied in R1470.	Stipulated/Issued	Group O/A issued commencing 6/28/11 for Doe #1-March Air Reserve Base and continuing through 3/1/12. The Hearing Board shall retain jurisdiction over this matter until 3/1/12.	N/A
10. SCAQMD vs. Sy Saebae, individually and dba North Hollywood Auto Body Case No. 5618-2 (N. Sanchez)	109(c)(1) 203(a)	Respondent has complied with prior O/A and now requires Hearing Board approval to resume operations.	Stipulated/Issued	Mod. O/A issued commencing 6/22/11 and continuing through 7/8/11. The Hearing Board shall retain jurisdiction over this matter until 7/8/11.	N/A
11. SCAQMD vs. TAWA Supermarket, Inc., dba 99 Ranch Market Case No. 5820-1 (K. Manwaring)	402 H&S §41700	Respondent conducting food cooking operations creating odor nuisance.	Not Stipulated/Issued	O/A issued commencing 6/2/11 and continuing through 1/13/12. The Hearing Board shall retain jurisdiction over this matter until 1/31/12.	N/A

Case Name and Case No.	Rules	Reason for Petition	District Position/ Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
12. Trend Offset Printing Services Inc. Case No. 3518-5 (N. Sanchez)	203(b) 2004(f)(1) 3002(c)(1)	Petitioner seeks to continue operation of VOC emitting equipment during power outage.	Not Opposed/Granted	Ex Parte EV granted commencing 6/28/11 and continuing for 30 days or until the EV hearing currently scheduled for 6/30/11, whichever comes first.	VOC: 328 lbs/day

Acronyms

APC: Air Pollution Control
 AOC: Alternative Operating Conditions
 CARB: California Air Resources Board
 CEMS: Continuous Emissions Monitoring System
 CEQA: California Environmental Quality Act
 CO: Carbon Monoxide
 ESP: Electrostatic Precipitator
 EV: Emergency Variance
 FGRS: Flare Gas Recovery System
 FCCU: Fluid Catalytic Cracking Unit
 FCD: Final Compliance Date
 GDF: Gasoline Dispensing Facility
 H&S: Health & Safety Code
 H2S: Hydrogen Sulfide
 ICE: Internal Combustion Engine
 I/P: Increments of Progress
 IA: Interim Authorization
 IV: Interim Variance
 MFCD/EXT: Modification of a Final Compliance Date and Extension of a Variance
 Mod. O/A: Modification of an Order for Abatement
 NH3: Ammonia
 NMOC: Non-Methane Organic Compounds
 NOV: Notice of Violation
 NOx: Oxides of Nitrogen
 O/A: Order for Abatement
 PM: Particulate Matter
 RATA: Relative Accuracy Test Audit
 RECLAIM: Regional Clean Air Incentives Market
 ROG: Reactive Organic Gas
 RV: Regular Variance
 SCR: Selective Catalytic Reduction
 SO2: Sulfur Dioxide
 SOx: Oxides of Sulfur
 SV: Short Variance
 TBD: To be determined
 TOC: Total Organic Compounds
 VOC: Volatile Organic Compounds
 VRS: Vapor Recovery System

Report of July 2011 Hearing Board Cases

Case Name and Case No.	Rules	Reason for Petition	District Position/ Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
1. SCAQMD vs. Calvary Chapel Conference Center, Murrieta Hot Springs Case No. 5825-1 (N. Sanchez)	203(a)	Respondent operates a diesel emergency generator without a permit to operate.	Stipulated/Issued	O/A issued commencing 7/6/11 and continuing through 6/15/12. The Hearing Board shall retain jurisdiction over this matter until 6/15/12, or until Respondent is operating in compliance, whichever occurs first, unless the O/A is amended or modified.	N/A
2. SCAQMD vs. Exide Technologies Case #3151-26 (Consent Calendar Item) (T. Barrera)	203(b) 1420 1420.1(f)(4) 2004 3002(c)	Petitioner has not installed lead emission control filters that meet the minimum capture efficiency.	Stipulated/Issued	O/A issued commencing 7/28/11 and continuing through 8/19/11. The Hearing Board shall retain jurisdiction over this matter until 8/19/11.	N/A
3. SCAQMD vs. Inland Empire Utilities Agency and Environ Strategy Consultants, Inc. Case #5209-4 (K. Manwaring)	203(b) 3002(c)(1)	The facility converts unique food waste and manure to energy and has encountered startup problems and a failed emission test. Respondent wants to resume operations to debug and test for compliance.	Stipulated/Issued	O/A issued commencing 7/20/11 and continuing through 7/20/12. The Hearing Board shall retain jurisdiction over this matter until 7/20/12, or 30 days after Respondent has achieved compliance.	N/A
4. SCAQMD vs. Stationary Diesel-Fueled ICE Facilities, Does 1-100 Case #5823-1 (Consent Calendar Item) (N. Sanchez)	1470	Respondent is operating the stationary diesel fueled ICE in violation of the Tier 4 interim emission standards embodied in Rule 1470.	Stipulated/Issued	Group O/A issued commencing 7/27/11 for Does 2 through 21 and continuing through 3/1/12. The Hearing Board shall retain jurisdiction over this matter until 3/1/12.	N/A
5. SCAQMD vs. Tawa Supermarket, Inc. dba 99 Ranch Market Case #5820-1 (K. Manwaring)	402 H&S Code Section 41700	Food cooking odors are causing a public nuisance.	Stipulated/issued	Mod. O/A issued commencing 7/13/11 and continuing through 7/13/12. The Hearing Board shall retain jurisdiction over this matter until 7/13/12, or 30 days after Respondent has achieved final compliance, whichever occurs first.	N/A

Acronyms

APC: Air Pollution Control
AOC: Alternative Operating Conditions
CARB: California Air Resources Board
CEMS: Continuous Emissions Monitoring System
CEQA: California Environmental Quality Act
CO: Carbon Monoxide
ESP: Electrostatic Precipitator
EV: Emergency Variance
FGRS: Flare Gas Recovery System
FCCU: Fluid Catalytic Cracking Unit
FCD: Final Compliance Date
GDF: Gasoline Dispensing Facility
H&S: Health & Safety Code
H₂S: Hydrogen Sulfide
ICE: Internal Combustion Engine
I/P: Increments of Progress
IA: Interim Authorization
IV: Interim Variance
MFCD/EXT: Modification of a Final Compliance Date and Extension of a Variance
Mod. O/A: Modification of an Order for Abatement
NH₃: Ammonia
NMOC: Non-Methane Organic Compounds
NOV: Notice of Violation
NO_x: Oxides of Nitrogen
O/A: Order for Abatement
PM: Particulate Matter
RATA: Relative Accuracy Test Audit
RECLAIM: Regional Clean Air Incentives Market
ROG: Reactive Organic Gas
RV: Regular Variance
SCR: Selective Catalytic Reduction
SO₂: Sulfur Dioxide
SO_x: Oxides of Sulfur
SV: Short Variance
TBD: To be determined
TOC: Total Organic Compounds
VOC: Volatile Organic Compounds
VRS: Vapor Recovery System