1	Viviana Heger [SBN 205051]		
2	DUANE MORRIS LLP 865 S. Figueroa Street, Suite 3100		
3	Los Angeles, CA 90017 Tel: 213-689-7452		
4	Fax: 213-689-7401 Email: VHeger@duanemorris.com		
5	Attorney for Petitioner		
6	IPS Corporation		
7	DEFODE THE HEADIN	C DO A DD OF THE	
8	BEFORE THE HEARING BOARD OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT		
9			
10	In the Matter of		
11	IPS Corporation (Facility ID No. 800367),	Case No. 6269-1	
12	Petitioner,	STIPULATION TO PLACE PETITION FOR SHORT VARIANCE ON	
13		CONSENT CALENDAR	
14		Hearing Date: March 25, 2025 Time: Consent Calendar	
15		Place: South Coast Air Quality Management District	
16		21865 Copley Drive Diamond Bar, CA 91765	
17			
18			
19	We, the undersigned parties, hereby agree and stipulate as follows:		
20	1. This matter may be placed on the Hearing Board's Consent Calendar for Wednesday,		
21	March 25, 2025, pursuant to District Hearing Board Rule 4(a)(4).		
22	2. The Petitioner seeks a short variance for its Regenerative Thermal Oxidizer (Permit		
23	No. G10605) and equipment connected to it, namely, fill lines, mixers, and holding tanks (jointly		
24	"Equipment"). Petitioner seeks the variance from District Rules 203(b) and 3002(c)(1) as they		
25	pertain to conditions in Petitioner's Title V Permit (Facility ID No. 800367) ("Permit"): (i)		
26	Condition No. 6, Administrative Condition E.3 (first sentence only), and Administrative Condition		
27	E.7 (first sentence only) for its Regenerative Thermal Oxidizer (Permit No. G10605); (ii) Condition		

No. 3 for Fill Lines Nos. 3, 21, 22, and 23 (Permit Nos. M42127, G6402, G6404, G10603) and for		
Mixers MM-1 through MM-12 (Permit Nos. G6381, G12140, G12139, G12138, G6384, G6385,		
G12137, G6387, G6388, G6390, G6391, G6392); (iii) Condition No. 4 for Holding Tanks Nos. H-1		
through H-5 (Permit Nos. G12141, F97834, F98735, F98736, F98737); and (iv) Administrative		
Condition E.3 (first sentence only), Administrative Condition E.4, and Administrative Condition E.		
(first sentence only) for all the Equipment. The Petitioner does not anticipate visible emissions during		
the short variance and is not seeking relief from District Rule 401.		

- 3. Operation under the proposed Order is not expected to result in a violation of Health and Safety Code Section 41700 (nuisance).
- 4. The Declaration of Pratap N. Padalkar (filed concurrently with this Stipulation) may be submitted to the Hearing Board in support of IPS Corporation's Petition for Short Variance.
- 5. The parties have agreed on a (Proposed) Findings and Decision and (Proposed) Order (filed concurrently with this Stipulation).
- 6. The parties hereby request that the Hearing Board decide the matter based on this Stipulation, Declaration and other documents submitted by the parties.
- 7. The parties further agree that Petitioner's Exhibits A through D shall be re-numbered to Exhibits 1 through 4, as listed below:

Petitioner's Exhibit 1
Permit Excerpts

Petitioner's Exhibit 2
Manufacturer Guarantee

Petitioner's Exhibit 3
Notice of Violation

Petitioner's Exhibit 4
U.S. EPA Performance Test Calculation Guidelines

8. The parties stipulate to the variance conditions attached to the Declaration of Mr. Padalkar and marked therein as:

Petitioner's Exhibit 5 Variance Conditions

9. Based on all the evidence in this case, the District does not oppose the granting of the variance on the Consent Calendar for March 25, 2025.

SO STIPULATED

1	Dated: March 18, 2025	DUANE MORRISS LLP
2		Dry Ninjana III.
3		By: Viviana Heger
4		Attorney for Petitioner
5		IDC CORDOR ATION
6		IPS CORPORATION
7	Dated: March 18, 2025	
8		By: Sheri Hanizavareh Sheri Hanizavareh
9		Sheri Hanizavareh
10		Senior Deputy District Counsel
11		Principal
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		