

1 OFFICE OF THE GENERAL COUNSEL
2 SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
3 MARY J. REICHERT, SBN 264280
4 Senior Deputy District Counsel
5 Email: mreichert@aqmd.gov
6 21865 Copley Drive
7 Diamond Bar, California 91765
8 TEL: 909.396.3400 • FAX: 909.396.2961

9 Attorneys for Petitioner
10 South Coast Air Quality Management District

11 **BEFORE THE HEARING BOARD OF THE**
12 **SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**

13 **In the Matter of**

14 THERMAL SOLUTIONS MANUFACTURING,
15 INC. [Facility ID No. 172808]

16 Petitioner.

17 vs.

18 SOUTH COAST AIR QUALITY
19 MANAGEMENT DISTRICT.

20 Respondent.

CASE NO. 6255-3

21 **STIPULATION TO PLACE**
22 **MATTER ON CONSENT**
23 **CALENDAR**

24 Hearing Date: July 9, 2024
25 Time: 9:30 a.m.
26 Place: Hearing Board
27 South Coast Air Quality
28 Management District
21865 Copley Drive
Diamond Bar, CA 91765

29 **STIPULATION**

30 The Parties, the South Coast Air Quality Management District (“South Coast AQMD”) and
31 Thermal Solutions Manufacturing, Inc. (“Petitioner”), do hereby stipulate and agree as follows:


- 32 1. This matter may be placed on the Hearing Board of the South Coast AQMD’s
33 (“Hearing Board”) Consent Calendar for Tuesday, July 9, 2024, under Hearing Board
34 Rule 4.
- 35 2. The Declaration of Bill Winchester, consultant for Thermal Solutions Manufacturing,
36 Inc. (filed concurrently herewith), is submitted to the Hearing Board to be entered and

1 considered as evidence regarding this matter.


- 2 3. The Parties agree on the [Proposed] Findings and Decision and Order, which include
3 proposed conditions, and which are filed concurrently herewith.
- 4 4. South Coast AQMD does not oppose the Petitioner's request to grant a regular variance
5 as described in the [Proposed] Order for the Facility.
- 6 5. The Parties request that the Hearing Board decide this matter based upon this
7 Stipulation, the Declaration of Bill Winchester, and any other documents submitted by
8 the Parties. The Parties agree to incorporate all prior evidence as submitted during the
9 interim variance hearing held on May 23, 2024, and in the interim and regular variance
10 petition submitted by Petitioner.
- 11 6. Neither Party expects the granting of the regular variance requested by Petitioner, Case
12 No. 6255-3, to result in a violation of California Health and Safety Code section 41700
13 (nuisance).

14 So stipulated.

15
16 DATED: June 28, 2024

16 By: 
17 Bill Winchester
18 Principal Scientist
19 Montrose Environmental for
20 Thermal Solutions Manufacturing, Inc.

21
22 DATED: June 28, 2024

21 By: 
22 Mary Reichert
23 South Coast Air Quality Management
24 District
25 Office of General Counsel
26
27
28