SOUTH GOAST AGHD CEERK OF THE BOARDS 1 | IVAN J. TETHER **TETHER LAW** 860 Via de la Paz, Suite E-3D FEB 17 A7:36 Pacific Palisades, CA 90272 Telephone: (310)573-2100 Facsimile: (310)573-2199 E-mail: ivan@tetherlaw.com Attorney for Aerocraft Heat Treating Co., Inc. ORIGINAL 6 7 8 BEFORE THE HEARING BOARD OF THE 9 SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 10 In the Matter of the Petition of 11 Case No. 6066-1 12 SOUTH COAST AIR QUALITY RESPONDENT AEROCRAFT'S NOTICE MANAGEMENT DISTRICT, 13 OF EX PARTE MOTION AND EX PARTE Petitioner, MOTION FOR REVIEW OF 14 IMPLEMENTATION BY THE DISTRICT VS. OF THE STIPULATED ORDER FOR 15 ABATEMENT ENTERED BY THE AEROCRAFT HEAT TREATING CO., **HEARING BOARD** 16 Health and Safety Code §§ 41700 and INC. 42451(b) and District Rule 402 [Facility ID No. 23752]; 17 ANAPLEX CORP. DATE: February 16, 2017 [Facility ID No. 16951]; and 18 DATE ORDER ENTERED: **DOES 1-100** December 16,2017 19 Respondents. PLACE: 21865 Copley Drive 20 Diamond Bar, CA 91765 21 22 Respondent Aerocraft Heat Treating Co., Inc. ("Aerocraft") hereby moves the Hearing 23 Board of the South Coast Air Quality Management District ("SCAQMD" or "District") for an order 24 directing the District to set aside its data recorded on February 12, 2017 at its "Monitor 8" on 25 grounds including that said data is materially inaccurate creating substantial and immediate harm to 26 Aerocraft. The motion is based upon this notice, the attached memorandum in support, declaration 27 of Greg Stonick, General Manager of Aerocraft, and the records and files in this action. 28

RESPONDENT AEROCRAFT'S NOTICE OF MOTION AND MOTION

# MEMORANDUM IN SUPPORT OF MOTION FOR ORDER DIRECTING THE DISTRICT TO SET ASIDE MONITORING DATA

#### I. BACKGROUND

Respondent Aerocraft is located at 15701 Minnesota Ave, Paramount, CA 90723, and its SCAQMD Facility ID is 23752. Respondent Aerocraft is in the business of metal heating treatment and cooling. On December 16, 2016, this Hearing Board issued a Stipulated Order for Abatement ("Order") against Respondent Aerocraft. The Order includes, among other things, the requirement that Respondent Aerocraft, in essence, shut down its operations if the average of the air monitoring results measured at the District monitor most representative of Respondent Aerocraft's emissions (the "District Monitor 8") exceeds 1.0 ng/m3 of Cr 6 for the most recent 3 samples.

Since the Order, Respondent Aerocraft installed its own fenceline monitor (the "Aerocraft Fenceline Monitor") which it operates consistent with the preliminary Sampling and Analysis Plan submitted to the District on January 3, 2017 and the expanded Sampling and Analysis Plan submitted to the District on February 8, 2017. Aerocraft also operates a meteorological data monitoring station to provide wind speed and direction data. Paragraph 2 of the Order anticipates Aerocraft's operation of ambient concentration and meteorological monitors and states that "The District shall consider AEROCRAFT's evidence in concluding whether the 1.0 ng/m³ action level has been exceeded and its determination may be appealed." In addition, Aerocraft had previously installed an ambient monitor on the rooftop of a building across Minnesota Avenue from Aerocraft operations (the "Roof Top Monitor").

As discussed below, recent results from the Aerocraft Monitors demonstrated a consistent correlation with recent results from the District Monitor until February 12, 2017. On that date, District Monitor 8 gave a reading of 3.11 ng/m3 of Cr 6, while the Aerocraft Monitors gave readings of 0.99 ng/m3 and 1.12 ng/m3. Aerocraft asserts and substantiates below that the result produced by District Monitor 8 on February 12, 2017 was materially inaccurate, with the inappropriate and unnecessary impact on Aerocraft of requiring, in essence, plant shutdown. Respondent Aerocraft moves the Hearing Board for an Order requiring the District to set aside its February 12, 2017 reading and replace that reading with the monitored concentration recorded

## II. GOOD CAUSE

24 i 

The Hearing Board has good cause to hear this ex parte motion without notice to the public. As a result of the District's refusal to correct or consider the inaccuracy of its monitored reading on February 12, 2017, Respondent Aerocraft has been required to shut down its operations as of February 14, 2017, and cannot anticipate resumption of operations until at least February 23, 2017, that is, seven days from today. This action, required by the Order, but based upon the inaccurate data produced by District Monitor 8 on February 12, 2017, imposes a substantial and inappropriate economic penalty on Respondent Aerocraft and threatens the livelihood of its fifty (50) employees.

Given the substantial steps Aerocraft has taken to reduce or eliminate Cr 6 emissions, including steps beyond those required in the Order, Aerocraft had no way of anticipating the anomalous high reading from Monitor 8. Further, even after the anomalous high reading, Aerocraft could not anticipate that the District would refuse to consider the parallel and highly inconsistent readings from District Monitor 7 and the two Aerocraft monitors.

This immediate, unforeseeable and inappropriate harm to Aerocraft and its employees provides good cause for the Hearing Board to hear this ex parte motion without public notice.

## III. AEROCRAFT'S MONITORS ARE ACCURATE

Starting February 3, 2017, Aerocraft began operating a monitor immediately adjacent to the District's Monitor 8 at the Fenceline as well as a separate monitor on the roof across Minnesota Avenue from the main operations ("Roof Top Monitor"). (See Photograph of District Monitor 8, attached to the Utility Pole, and the Aerocraft Fenceline Monitor, attached hereto as Exhibit A.)

These monitors were operated consistent with the preliminary protocol provided to the District on January 3, 2017 and the expanded protocol provided to the District on February 8, 2017. These monitors are the same units that have been used at Riverside Cement for monitoring being performed by AirKinetics, Inc. ("AKI") for Cher Snyder, Assistant Deputy Executive Officer for Compliance and Enforcement for the SCAQMD, and as such, Aerocraft has significant confidence in the accuracy of the data collected with these monitors.

Aerocraft's monitors had consistently generated values comparable to District Monitor 8. On each of the monitoring days in February except the 12th (i.e., 3rd, 6th, 7th and 9th), the Aerocraft monitors and District Monitor 8 have generated comparable values. By contrast, on February 12th, the two Aerocraft monitors generated comparable values but District Monitor 8 was 300 percent higher. The February 12 District Monitor 8 value was clearly inconsistent with the surrounding monitors, including District Monitor 7 located approximately 0.5 blocks to the ease down Madison Street. Although consistently measuring slightly lower levels of Cr VI as compared to the side-by-side monitors being operated by SCAQMD at the District's Monitor (Monitor 8) for each day (other than February 12th), the Aerocraft monitors provided results comparable to Monitor 8. See the Memorandum by Deborah Proctor and Ann Verwiel of ToxStrategies reviewing ambient air measurements on February 12, 2017 near Aerocraft attached hereto as Exhibit B. Aerocraft also provides full lab reports to further substantiate the validity of the monitoring results gathered at Aerocraft's Monitors on 2/3/2017, 2/6/2017, 2/7/2017, 2/9/2017 and 2/12/2017, attached hereto at Exhibit C.

By reference to the chart comparing monitor readings, on Page 1 of Exhibit C, it can be seen that on February 12, the two Aerocraft monitors were very close to one another but bore little resemblance to the District's Monitor 8 results. These data call into question the accuracy of the result from the District's Monitor 8 on that day.

## IV. THE DISTRICT'S MONITOR WAS INACCURATE ON FEBRUARY 12, 2017

An additional District monitor, District Monitor 7, is downwind of District Monitor 8 on those days when the wind is blowing out of the west and southwest. See, Exhibit D, Map of the District's monitors in the City of Paramount, attached. As a result, there is a very close correlation between the value observed at District Monitor 8 and that at District Monitor 7 on those days where the wind blows from District Monitor 8 towards District Monitor 7. Since the beginning of December, there have been eight monitoring days (including February 12, 2017) where the wind has blown from District Monitor 8 towards District Monitor 7 (i.e., the predominant wind direction for the day was between SSW and WNW). Ignoring February 12th, the ratio of the reading at

Looking at the very substantial disparity between the Aerocraft monitored value and Monitor 8 strongly indicates that something is wrong with the Monitor 8 value on the 12th. This is backed up by the disparity between the value recorded at Monitor 8 and the downwind value recorded at Monitor 7 as well as Aerocraft's roof top monitor. Given the questions raised, we believe that the Monitor 8 value for February 12, 2017 is anomalous and should not be considered for the purposed of evaluating curtailment. Because of the strong and demonstrated likelihood that the result from the 12th is an error, we respectfully request that the Hearing Board order the District to use its February 15, 2017 monitoring results for the rolling average and consider the District's Monitor 8 value from the 12th invalid.

21

22

12

14

15

16

17

18

19

20

## V. AEROCRAFT HAS MET AND EXCEEDED THE CONDITIONS OF THE DECEMBER 16, 2016 ORDER

2324

25

26

27

28

The Hearing Board's December 16, 2016 Order required Aerocraft to perform a significant number of tasks to reduce emissions of Cr 6. (See, District Order, Paragraph 8, referencing Paragraph 13 of the Facts.) Aerocraft's report to the District on compliance with these conditions, required within 30 days of the Order, is attached hereto as Exhibit F. Aerocraft has complied in full with these conditions, and continues to comply. See, the Declaration of Greg Stonick, attached

#### hereto as Exhibit G.

Going well beyond the requirements of the Order, Aerocraft recently installed total enclosures of the heat treat operations in Buildings 1 and 2, and installed rental baghouses to capture a very high percentage of Cr 6 and other potential particulate emissions. These building modifications, along with the addition of pollution control devices for the heat treat operations, have provided Aerocraft with the ability to operate within the numerical standard set out in the Order. Aerocraft has further demonstrated its ability to operate in accordance with the Order based on monitoring results it has obtained on the District monitoring days. Furthermore, with these efforts, Aerocraft has gone well beyond the requirements of the Order to further reduce its emissions and better protect community health.

# VI. THE INACCURACY OF THE DISTRICT'S MONITOR 8 IMPOSES SUBSTANTIAL BURDENS ON AEROCRAFT AND ITS EMPLOYEES


Aerocraft has shut down its operations once previously under the District's December 16, 2017 Order. Aerocraft voluntarily extended the duration of that curtailment period so as to install additional site improvements and emission controls to further assure meeting the requirements of the Order. Such shut-downs impose substantial financial burdens on Aerocraft, yet Aerocraft is ready and eager to take all steps that necessary to protect community health. Additional shutdowns, however, threaten the continued viability of Aerocraft's enterprise, and seriously jeopardize the livelihoods of Aerocraft's employees. Aerocraft respectfully requests the Hearing Board to take notice of its efforts above and beyond those required by the Order to reduce Cr 6 emissions and protect community health; to carefully scrutinize the facts indicating that the February 12, 2017 monitoring results are invalid and have created a needless shutdown of Aerocraft operations; and to grant the relief requested below.

#### VII. CONCLUSION

WHEREFORE, Respondent Aerocraft respectfully requests the Hearing Board to rule as follows:

1	A. That the District's monitoring data from District Monitor 8 for February 12
2	2017 be withdrawn and replaced by data from that same monitor for February 15, 2017; and
3	B. That the Hearing Board grant such other and further relief as it may deem
4	just and proper.
5	
6	DATED: February 16, 2017 FOR RESPONDENT AEROCRAFT:
7	Jum (Illes)
8	Ivan J. Tether, Tether Law
9	Attorney for Aerocraft Heat Treating Co., Inc.
10	
11	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	·
24	
25	
26	
27	
28	
	<del>-7-</del>
	RESPONDENT AEROCRAFT'S NOTICE OF MOTION AND MOTION

# **RESPONDENT AEROCRAFT'S EXHIBIT A**



# RESPONDENT AEROCRAFT'S EXHIBIT B

**ToxStrategies MEMORANDUM** 

# **Tox**Strategies

Innovative solutions
Sound science

## Memorandum

February 16, 2017

То:	Ivan Tether
From:	Deborah Proctor and Ann Verwiel
Subject:	Review of Ambient Air Measurements on February 12, 2017 near Aerocraft Heat Treating Company

We have reviewed the air monitoring data from early February 2017 collected by South Coast Air Quality Management District (SCAQMD) and AirKinetics on behalf of Aerocraft. Based on this review it appears that the hexavalent chromium concentration for SCAQMD Monitor 8 is not consistent with other measurements and should be considered anomalous. Anomalous data are not valid for assessing whether Aerocraft exceeded their curtailment level of 1.0 ng/m³. Anomalous readings are not uncommon in environmental data as there is the possibility of introducing error throughout the sample collection and analysis process.

The air monitoring data from February relevant to this review were collected by Aerocraft at two locations (at the Fenceline and On the Roof across Minnesota Avenue from the main operations). SCAQMD collected\_samples\_at\_two\_locations\_(8\_at the Aerocraft fenceline and 7 approximately 0.5 blocks to the east down Madison Street). The sample results are presented in Table 1, and the approximate sample locations are shown on

Figure 1.

Table 1. Hexavalent Chromium Concentrations in Ambient Air

Sample Date	Aerocraft Fence	Aerocraft Roof	AQMD 8	AQMD 7
2/3/17	0.28	0.24	0.4	0.15
2/6/17	0.11	0.05	0.17	0.22
2/7/17	1.63	2.27	2.01	NS
2/9/17	0.37	0.32	0.52	0.38
2/12/17	0.99	1.12	3.11	0.41

NS = no sample




Figure 1. Approximate Location of Monitors

As shown in Table 1 for February 12, the results for Aerocraft's and SCAQMD's fenceline monitors (SCAQMD 8) are very different (more than a factor of 3). These monitors are within 4 to 5 feet of one another and should provide very similar measurements of Cr(VI) in ambient air over a 24-hour period, which is the case for the other four monitoring days in February. On the other four days, the fenceline monitor results and monitor 8 have a relative percent difference of 21% to 43%, which is typical variability. By comparison on February 12, the relative percent difference was over 100% with the SCAQMD measurement being more than 3 times higher than the fenceline monitor. This finding would suggest that one of the two measures is invalid.

To evaluate which result more accurately represents concentrations of hexavalent chromium in ambient air on February 12, we reviewed the data from SCAQMD 7 and Aerocraft's roof top monitor, which were sampled on the same days in February<sup>1</sup> and are in relatively close proximity to the fenceline monitors. The roof monitor and SCAQMD 7 are downwind of the fenceline when the wind blows from the southwest, which is the predominant wind direction in the area and on the 12th. The concentrations at the roof

<sup>&</sup>lt;sup>1</sup> SCAQMD 7 was not sampled on February 7.

top monitor and SCAQMD 7 correlate well with measurements at the fenceline, particularly on days when the wind is blowing predominantly from the southwest.


Reviewing the data for SCAQMD 7 and 8, the predominant wind direction was from the southwest to westnorthwest on 8 monitoring days excluding February 12 (12/8/16, 12/17/16, 1/10/17, 1/13/17, 1/19/17, 1/25/17, 1/28/17, and 2/9/17).

Fitting a simple linear model to the relation between SCAQMD 8 and SCAQMD 7 demonstrated this relation:


Site 8 CrVI = -0.36 + 3.04 x Site 7 CrVI (with a standard error on the slope of  $\pm 0.5$ )

On February 12<sup>th</sup>, the hexavalent chromium concentration at SCAQMD Monitor 7 was 0.41 ng/m³. Unsing this equation, concentration at SCAQMD Monitor 8 was predicated to be 0.89 ng/cm³. This predicted value is very close to the concentration measured by the Aerocraft fenceline monitor (0.99 ng/³) but substantially lower than the value at the SCAQMD 8 location (3.11 ng/m³). Taking data sampling and standard error into account, the upper 90% bound on this prediction is 1.6 ng/m³, i.e. given a concentration of 0.41 ng/m³ at Site 7. Thus, given these data and conditions, we expect the measurement at SCAQMD Monitor 8 value to be under 1.6 ng/m³ 90% of the time. The value recorded on February 12th at SCAQMD Monitor 8 of 3.11 ng/m³ would only be expected 0.11% of the time, and as such is considered highly unlikely.

Figure 2 presents the measurements at the four monitor locations for the five days in February. While some variability is apparent, it is also clear that the measurement at SCAQMD 8 is not consistent with the trend for the other data in February, which are more similarly grouped.



Together these analyses support that the hexavalent chromium concentration measured at SCAQMD 8 on February 12, 2017 was anomalous and should not be considered for the purposes of evaluating curtailment.



Picture of SCAQMD 8 and Aerocraft Fenceline monitors

# RESPONDENT AEROCRAFT'S EXHIBIT C LAB REPORTS

AIRKINETICS, INC.

PROJECT: AEROCRAFT HEAT TREATING

CLIENT # A078 REPORT # 17-061B

> SUBMITTED BY: CHESTER LabNet 12242 S.W. GARDEN PLACE TIGARD, OR 97223 (503)624-2183/FAX (503)624-2653 www.ChesterLab.Net

# CHESTER LabNet

12242 SW Garden Place \* Tigard, OR 97223-8246 \* USA Telephone 503-624-2183 \* Fax 503-624-2653 \* www.chesterlab.net

## Case Narrative

Date: February 14, 2017

**General Information** 

Client:

AirKinetics, Inc.

Client Number:

A078

Report Number:

17-061B

Sample Description:

37mm Impregnated Cellulose

Sample Numbers:

17-C200 - 17-C202

**Analysis** 

Analytes:

Hexavalent Chromium

**Analytical Protocols:** 

Ion Chromatography - Modified CARB SOP MLD039

Analytical Notes:

No problems were encountered during the analyses. The client requested expedited analysis for these samples. No method blank, LCS, replicate or matrix post spike were analyzed in order to deliver the results as soon as

possible. The results have not been blank corrected.

QA/QC Review:

All of the data have been reviewed by the analysts performing the analyses and the project manager. All of the quality control and sample-specific information in this package is complete and meets or exceeds the minimum requirements for

acceptability.

Comments:

If you have any questions or concerns regarding this analysis, please feel free to

contact the project manager.

Disclaimer:

This report shall not be reproduced, except in full, without the written approval of the laboratory. The results only represent that of the samples as received into

the laboratory.

Project Manager

Paul Duda

21411 Date

Client: A078 - AirKinetics

Report Number: 17-061

Lab ID: 17-C200

Client ID: A-0203-POLE-XON

Site: Aerocraft Heat Treating

Sample Date: 2/3/17 Deposit Area: 6.60 cm<sup>2</sup>

ng/filter

Analyte Conc. MDL

IC

IC

Cr VI 4.860 0.750

Lab ID: 17-C201

Client ID: A-0203-RTO-XON

Site: Aerocraft Heat Treating

Sample Date: 2/3/17 Deposit Area: 6.60 cm<sup>2</sup>

ng/filter Analyte Conc. MDL

Cr VI 4.095 0.750

Lab ID: 17-C202

Client ID: A-0203-XON-TB

Site: Aerocraft Heat Treating

Sample Date: 2/3/17 Deposit Area: 6.60 cm<sup>2</sup>

ng/filter

Analyte Conc. MDL

IC

Cr VI < MDL 0.750

## QA/QC Report

Client Name: AirKinetics
Project Number: A078
Analytical Technique: IC-PCR
Sample Description: 37mm Impregnated Cellulose
Report Number: 17-061

## <u>Blank Data</u>

Analyte	Sample	Measured	MDL
	ID	Conc. μg/L	Conc. µg/L
Cr VI	ICB	< MDL	0.050
	CCB	< MDL	0.050

<sup>\*:</sup> Method Blank concentration in µg/filter

#### Calibration QC

Analyte	Sample	Standard	Measured	Percent
	ID	Conc. µg/L	Conc. µg/L	Recovery
Cr VI	CCA	1.00 1.00	1.06 1.03	105.6 103.3

#### Replicate Data

Insufficient sample to perform Replicate and/or Replicate not required

## Matrix Post Spike Analysis

Insufficient sample to perform matrix post spike and/or matrix post spike not required

<u>QA/QC Limits</u> <u>Continuing Calibration: ± 10%</u> <u>Replicates: ± 20% RPD</u>

LCS: ± 20% Post Spikes: ± 25%

PO Num	ber:	7920-SB			Sam	ple Chai	n of C	usto	dy Re	cor	d				Page	1 of1
Project N	lame:	Aerocraft He	at Treating	AKI Contect:	Justin The (714) 254-1	mpson 945; ext. 123			_	Ar	elyses i	Require	1			
Unit(s):						geirkineticsinc.co eirkineticsinc.com						$\Box$			Π	1
Project N	lo.:	14626		Sample F	Recovered by			9 S			1		1			
Lab	AKI	Sample ID					No.	1		1		ì		1	1	İ
D No.	ID No.	(Umit - C- Lubrica			Date	Time	Samples					_	- İ	i	1	Comments
_			-Pole - >		2/3/17	0:00	1	١								ldan tot
	<b>_</b>		<u>гъ - х</u>		2/3/17	0:00	1				$\Box$			$\Box$		I day tad
		4-62-3-	- XON - T	<u>B</u>	43/17	NA	- (	1		+		_	$\bot$	$\Gamma$	$\Box$	1 day tat
		<del> </del>			<del> </del>		<del>                                     </del>		+	╁╌	╁┼	-	┿	┼-	<del> </del>	<u> </u>
		1					_	_	$\dashv$	<del> </del>	╁	_	+	┼╾	$\vdash$	
		<u> </u>								ļ						
							<b> </b>			-			Ц.			
_	+	<del> </del>					<b>-</b>		+	┿-			┷	↓_	Ш	
	+	+					1	_		+	╁	$\rightarrow$	╫	┼—	Н	<del></del>
										1		_	+	1	H	<del></del>
TAT:	RUSH - 24	ur	Project Ren	narks:		Relinquished by:	(Sign & Prir	it)	Dat	e/Time	Receive Ont-	d by: (Sig	n & Prin	rzna	Date/Time	
Ship to:	Paul Duda		1 10,000 1000			- Court		<u>,,,,,</u>	12/	4/12	2006	*//c	7	201.//		5:03 am
	Chester Lab					LODOCCA		m	2	4117	Put	ubu	-417	1116	$\dashv$	2/4/17
	12242 SW G	arden Pl				Reporce					ΚĒ		<i></i>			11:50 Am
	Tigard, OR 9	7223				Perty!	کس				July				Ps was AinKine 1308 S Anaheir	2.4.17/1237
	(503)624-218	3.				Ruth 1	304					SCAL	ŧБ		1	/
Special In	structions: _	Please sen	d laborator	y results	to both e	mall address	ses listed	aboye			<del>-</del>			Ki	AirKine	etics, Inc.
<u>-</u>	<u>.</u>											į	APICA APICA	rlice, Inn.	Anahei	South Allec Street im, CA 92805 154-1945

## RAW DATA

Available upon request

AIRKINETICS, INC.

PROJECT: AEROCRAFT HEAT TREATING

CLIENT # A078 REPORT # 17-063C

> SUBMITTED BY: CHESTER LabNet 12242 S.W. GARDEN PLACE TIGARD, OR 97223 (503)624-2183/FAX (503)624-2653 www.ChesterLab.Net

# CHESTER LabNet

12242 SW Garden Place \* Tigard, OR 97223-8246 \* USA Telephone 503-624-2183 \* Fax 503-624-2653 \* www.chesterlab.net

## Case Narrative

Date: February 14, 2017

**General Information** 

Client:

AirKinetics, Inc.

Client Number:

A078

Report Number:

17-063C

Sample Description:

37mm Impregnated Cellulose

Sample Numbers:

17-C209 - 17-C210

**Analysis** 

Analytes:

Hexavalent Chromium

**Analytical Protocols:** 

Ion Chromatography - Modified CARB SOP MLD039

Analytical Notes:

No problems were encountered during the analyses. The client requested expedited analysis for these samples. No method blank, LCS, replicate or matrix post spike were analyzed in order to deliver the results as soon as

possible. The results have not been blank corrected.

QA/QC Review:

All of the data have been reviewed by the analysts performing the analyses and the project manager. All of the quality control and sample-specific information in this package is complete and meets or exceeds the minimum requirements for

acceptability.

Comments:

If you have any questions or concerns regarding this analysis, please feel free to

contact the project manager.

Disclaimer:

This report shall not be reproduced, except in full, without the written approval of the laboratory. The results only represent that of the samples as received into

the laboratory.

Project Manager

<u> と / 14/17</u> Date

Paul Duda

Client: A078 - AirKinetics

Report Number: 17-063

Lab ID: 17-C209

Client ID: A-0207-POLE-XON

Site: Aerocraft Heat Treating

Sample Date: 2/7/17 Deposit Area: 6.60 cm<sup>2</sup>

ng/filter
Analyte Conc. MDL

IC

Cr VI 27.84 0.750

Lab ID: 17-C210

Client ID: A-0207-RTO-XON

Site: Aerocraft Heat Treating

Sample Date: 2/ 7/17 Deposit Area: 6.60 cm<sup>2</sup>

Doposie Alea. 0.00 Cm

ng/filter
Analyte Conc. MDL

IC

Cr VI 38.88 0.750

## QA/QC Report

Client Name: **AirKinetics** 

Project Number: A078
Analytical Technique: IC-PCR
Sample Description: 37mm Impregnated Cellulose
Report Number: 17-063

#### Blank Data

Analyte	Sample	Measured	MDL				
	ID	Conc. μg/L	Conc. µg/L				
Cr VI Cr VI Cr VI	ICB CCB	< MDL < MDL < MDL	0.050 0.050 0.050				

<sup>\*:</sup> Method Blank concentration in  $\mu g/filter$ 

## Calibration QC

Analyte	Sample	Standard	Measured	Percent
	ID	Conc. µg/L	Conc. μg/L	Recovery
Cr VI	CCA	1.00	1.05	104.7
Cr VI	CCA	1.00	1.01	101.4
Cr VI	ICA	1.00	1.03	103.3

## Replicate Data

Insufficient sample to perform Replicate and/or Replicate not required

## Matrix Post Spike Analysis

Insufficient sample to perform matrix post spike and/or matrix post spike not required

<u>QA/QC Limits</u> Continuing Calibration: ± 10% Replicates: ± 20% RPD

LCS: ± 20% Post Spikes: ± 25%

PO Numbe	ar:	7920-SB		Sam	ple Cha	in of C	usto	dy R	ecor	d					Page	_1 cf1
Project Na	тө:	Aerocraft Heat Treating	AKI Contact:	Morgan Ng (714) 254-1				_	A	nalyse	s Req	ired				
Unit(s):	·		Results to	Nguyenm@	alrkineticsinc.co alrkineticsinc.co											
Project No.	.:	14626	Sample Recovered by:			ample Recovered by:					İ					
Lab	AKI	Sample ID	•			No.				}						
ID No. 17-czen	ID No.	(Unit - C- Lutufcant - Date) A-0207-POLE-XON		Date 2/7/17	Time 0:00	Samples	-		╅	╀	┼—	-	$\vdash$	├─┤		Comments
17.666		A-0207-RTO-XON		2/7/17	0:00	1 1	×	$\dashv$	+	╁─	₩	├-		╁		PRIORITY
		A-0207-RTO-XOR		Bitti	0.00	<u> </u>	X		$\pm$	†		<del> </del>				PRIORITY
	<u> </u>			<del> </del>		1		$\perp$	4_	$oxed{oldsymbol{oldsymbol{eta}}}$						
	1					<del>                                     </del>	-	+	+	╂╼		<del>  </del>		┤┤		
		<del>                                     </del>		-		1 1		+	-	_	-			<del>                                     </del>		-
	<del>                                     </del>				-	1	+	+	+	┝╌	┝	$\vdash$			_	
		<u> </u>		<u> </u>				_		ļ						
TAT:	RUSH - 24h	r Project Re	emarks:		Relinquished by	r. (Sign & Prin	t)	Da	te/Time / <i>09/17</i>	Recei	yed by:	(Sign (	Pripi	)_		Date/Time
Ship to:	Paul Duda	A-0207-P	OLE-XON		Moracin	Namer			00		45/	36	14.		7	15:02
	Chaster Lab	A-0207-R	TO-XON		0	00				L			Reco	(	ု	-0.6°C
	12242 SW G	orden Pf Same day	Priority										•			
	Tigard, OR 97 (503)624-2183	h———										<del></del>			∓	

Special Instructions:

Please send laboratory results to both email addresses listed above.

AirKinetics, Inc. 1308 South Allec Street Anaheim, CA 92805

California Services Inc. 14 254-1945

## RAW DATA

Available upon request

AIRKINETICS, INC.

PROJECT: AEROCRAFT HEAT TREATING

CLIENT # A078 REPORT # 17-072A

> SUBMITTED BY: CHESTER LabNet 12242 S.W. GARDEN PLACE TIGARD, OR 97223 (503)624-2183/FAX (503)624-2653 www.ChesterLab.Net

## CHESTER LabNet

12242 SW Garden Place ❖ Tigard, OR 97223-8246 ❖ USA 

## Case Narrative

Date: February 14, 2017

General Information

Client:

AirKinetics, Inc.

Client Number:

A078

Report Number:

17-072

Sample Description:

37mm Impregnated Cellulose

Sample Numbers:

17-C213 - 17-C214

<u>Analysis</u>

Analytes:

Hexavalent Chromium

**Analytical Protocols:** 

Ion Chromatography - Modified CARB SOP MLD039

Analytical Notes:

No problems were encountered during the analyses. The client requested expedited analysis for these samples. No method blank, LCS, replicate or matrix post spike were analyzed in order to deliver the results as soon as

possible. The results have not been blank corrected.

QA/QC Review:

All of the data have been reviewed by the analysts performing the analyses and the project manager. All of the quality control and sample-specific information in this package is complete and meets or exceeds the minimum requirements for

acceptability.

Comments:

If you have any questions or concerns regarding this analysis, please feel free to

contact the project manager.

Disclaimer:

This report shall not be reproduced, except in full, without the written approval of the laboratory. The results only represent that of the samples as received into

the laboratory.

Project Manager

Date

Paul Duda

Client: A078 - AirKinetics

Report Number: 17-072

Lab ID: 17-C213

Client ID: A-0209-POLE-XON

Site:

Aerocraft Heat Treating

Sample Date: 2/ 9/17 Deposit Area: 6.60 cm2

ng/filter

Analyte

Conc. MDL

IC

Cr VI

6.240 0.750

Lab ID:

17-C214 Client ID: A-0209-RTO-XON

Site:

Aerocraft Heat Treating

Sample Date: 2/ 9/17 Deposit Area: 6.60 cm2

ng/filter

Analyte

Conc. MDL

IC

Cr VI

5.415 0.750

## QA/QC Report

Client Name: AirKinetics
Project Number: A078
Analytical Technique: IC-PCR
Sample Description: 37mm Impregr
Report Number: 17-072

37mm Impregnated Cellulose 17-072

## Blank Data

Analyte	Sample	Measured	MDL
	ID	Conc. μg/L	Conc. µg/L
Cr VI Cr VI	ICB	< MDL	0.050 0.050

<sup>\*:</sup> Method Blank concentration in µg/filter

#### Calibration QC

Analyte	Sample	Standard	Measured	Percent
	ID	Conc. µg/L	Conc. μg/L	Recovery
Cr VI	CCA	1.00	1.02	101.8
Cr VI		1.00	1.06	105.8

#### Replicate Data

Insufficient sample to perform Replicate and/or Replicate not required

#### Matrix Post Spike Analysis

Insufficient sample to perform matrix post spike and/or matrix post spike not required

<u>QA/QC Limits</u> <u>Continuing Calibration:</u> ± 10% Replicates: ± 20% RPD

LCS: ± 20% Post Spikes: ± 25%

PO Numbe	r:	7920-SB		Sam	ple Chai	in of C	usto	dy	Red	ord	i					Page1 of1		
Project Nar Unit(s):	ne:	Aerocraft Heat Treating	_				 			Ana	alyses	Requi	red		 !			
Project No.	:	14628					ş Ş											
Lab D No.	AKI ID No.	Sample ID (Unit - C- Lubricant - Date)		Date	Time	No. Samples										•	Comments	
17-6213		A-0209-POLE-XON		2/9/17	0;00	1 1	×							L			PRIORITY	
17-104	ļ	A-0209-RTO-XON		2/9/17	0:00	1 1	×		Ш		Ш						PRIORITY	
									$\sqcup$					L				
	<u> </u>					<b></b>	$\vdash$	_	$\dashv$	_					Ш			
		<del></del>		<u> </u>		+	$\vdash \vdash \vdash$			$\dashv$		$\vdash$		<u> </u>				
		<del></del>				<del>                                     </del>	Н	-		$\dashv$	-	$\dashv$		$\vdash$	<del>├</del> ─┤			
						†									$\vdash$			
														_				
						<u> </u>			_							$\Box$		
		<u> </u>															·	
AT:	RUSH - 24h	r Project R	emarks:		Relinquished by	: (Sign & Pri	nt)	_	Date/	Time	Recei	ed by:	(Sign i	Print)	)		Date/Time	
hip to:	Paul Duda	A-0209-P	OLE-XON		Morano		n		05:0			elved by: (Sign & Print)  SO BOLL			14.5			
	Chester Lab	A-0209-R	TO-XON		0	00					22	ece		) بو	Ø		-అ.ఓ°C	
	12242 SW G	arden PI Same day	y Priority												<b>\</b> =-	1		
	Tigard, OR 97	7223																
	(503)524-218	3	_					†								7		

AirKinetics, Inc. 1308 South Allec Street Anahelm, CA 92805

Please send laboratory results to both email addresses listed above.

## RAW DATA

Available upon request

AIRKINETICS, INC.

PROJECT: AEROCRAFT HEAT TREATING

CLIENT # A078 REPORT # 17-063B

> SUBMITTED BY: CHESTER LabNet 12242 S.W. GARDEN PLACE TIGARD, OR 97223 (503)624-2183/FAX (503)624-2653 www.ChesterLab.Net

# CHESTER LabNet

12242 SW Garden Place ❖ Tigard, OR 97223-8246 ❖ USA Telephone 503-624-2183 Fax 503-624-2653 www.chesterlab.net

## **Case Narrative**

Date: February 14, 2017

**General Information** 

Client:

AirKinetics, Inc.

Client Number:

A078

Report Number:

17-063B

Sample Description:

37mm Impregnated Cellulose

Sample Numbers:

17-C207 - 17-C208

**Analysis** 

Analytes:

Hexavalent Chromium

**Analytical Protocols:** 

Ion Chromatography - Modified CARB SOP MLD039

**Analytical Notes:** 

No problems were encountered during the analyses. The client requested expedited analysis for these samples. No method blank, LCS, replicate or matrix post spike were analyzed in order to deliver the results as soon as

possible. The results have not been blank corrected.

QA/QC Review:

All of the data have been reviewed by the analysts performing the analyses and the project manager. All of the quality control and sample-specific information in this package is complete and meets or exceeds the minimum requirements for

acceptability.

Comments:

If you have any questions or concerns regarding this analysis, please feel free to

contact the project manager.

Disclaimer;

This report shall not be reproduced, except in full, without the written approval of the laboratory. The results only represent that of the samples as received into

the laboratory.

Paul Duda

7 Date

A078 - AirKinetics Client:

Report Number: 17-063

17-Ć207 Lab ID:

Client ID: A-0206-POLE-XON

Aerocraft Heat Treating 2/ 6/17 6.60 cm<sup>2</sup> Site:

Sample Date: Deposit Area:

ng/filter

Analyte Conc. MDL

IC

Cr VI 1.860 0.750

Lab ID: Client ID: 17-C208

A-0206-RTO-XON

Site: Aerocraft Heat Treating

2/ 6/17 6.60 cm² Sample Date: Deposit Area:

ng/filter

Analyte Conc. MDL

IC

Cr VI 0.825 0.750

#### QA/QC Report

Client Name: AirKinetics
Project Number: A078
Analytical Technique: IC-PCR
Sample Description: 37mm Impregnated Cellulose
Report Number: 17-063

#### Blank Data

Analyte	Sample	Measured	MDL					
	ID	Conc. μg/L	Conc. µg/L					
Cr VI Cr VI Cr VI	ICB CCB	< MDL < MDL	0.050 0.050 0.050					

<sup>\*:</sup> Method Blank concentration in µg/filter

#### Calibration QC

Analyte	Sample	Standard	Measured	Percent
	ID	Conc. µg/L	Conc. μg/L	Recovery
Cr VI	CCA	1.00	1.02	101.7
Cr VI	CCA	1.00	1.03	103.4
Cr VI	ICA	1.00	0.93	93.0

#### Replicate Data

Insufficient sample to perform Replicate and/or Replicate not required

#### Matrix Post Spike Analysis

Insufficient sample to perform matrix post spike and/or matrix post spike not required

<u>QA/QC Limits</u> <u>Continuing Calibration: ± 10%</u> <u>Replicates: ± 20% RPD</u>

LCS: ± 20% Post Spikes: ± 25%

	PO Numb	er. 	7920-SB			Sam	ple Chai	Page	=_1of1							
	Project Na Unit(s):	me:	Aerocraft Hea	at Treating	-		guyen 1945; ext. 114 Valrkineticsinc.com	m		<del>.</del>	1 1					
	Project No.: 14626					akisublab@ decovered by	airkineticsiac.com	95								
	Lab ID No.	AKI ID No.	Sample ID	nt - Date)		Date	Time	No. Samples								Comments
	17- <u>cz1</u>		A-0206-POLE			2/6/17	0:00	1	×				_			PRIORITY
	12.5108		A-0208-RTO-	XON		2/6/17	0:00	1	<del>-</del>		┢	┨	— <u></u>		<del></del>	PRIORITY
Repor																
Report # 17-0638	·	ļ	<del>  -</del>				1	1		_		$\sqcup$				
0638		<del> </del>	ĺ					$\vdash$	$\dashv$			$\vdash$	$\dashv$	-	+-+-	<del> </del> -
		·														j
2		ļ -						1		1		lacksquare		_		
Page 5 of 6			<u>-</u> -	<del></del>			<u> </u>	1 1	-+	+-		$\vdash$	+		╂╼╂┈	<del> </del>
6			İ	:												
	TAT:	RUSH - 24h	r	Relinquished by: (Sign & Print) Project Remarks: Hoster Killy			Date 02/0	Time	Regr	id by (S	ign & Prii	nt)	Date/Time			
	Ship to:	Peul Duda		A-0206-POI	E-XON			Valyon		05:		Ü	54	Ba	11	13/45
		Chester Lab		A-0208-RT0	D-XON								كعبد	. لي.	re-	<u>-0.9 C.</u>
		12242 SW G	irden Pl	Same day P	riority											
	1	Tigard, OR 97				_						L				<b>↓</b>
		(503)624-218	3			_										

Special Instructions:	Please send laboratory results to both email addresses listed above.	
		AirKinetics, Inc. 1308 South Allec Street
		Anahelm, CA 92805 material consecutions we travel structure (714) 254-1945

### RAW DATA

Available upon request

AIRKINETICS, INC.

PROJECT: AEROCRAFT HEAT TREATING

CLIENT # A078 REPORT # 17-078A

> SUBMITTED BY: CHESTER LabNet 12242 S.W. GARDEN PLACE TIGARD, OR 97223 (503)624-2183/FAX (503)624-2653 WWW.ChesterLab.Net

# CHESTER LabNet

12242 SW Garden Place \* Tigard, OR 97223-8246 \* USA Telephone 503-624-2183 Fax 503-624-2653 www.chesterlab.net

#### Case Narrative

Date: February 14, 2017

**General Information** 

Client:

AirKinetics, Inc.

Client Number:

A078

Report Number:

17-078A

Sample Description:

37mm Impregnated Cellulose

Sample Numbers:

17-C219 - 17-C220

Analysis

Analytes:

Hexavalent Chromium

Analytical Protocols:

Ion Chromatography - Modified CARB SOP MLD039

Analytical Notes:

No problems were encountered during the analyses. The client requested expedited analysis for these samples. No method blank, LCS, replicate or matrix post spike were analyzed in order to deliver the results as soon as

possible. The results have not been blank corrected.

QA/QC Review:

All of the data have been reviewed by the analysts performing the analyses and the project manager. All of the quality control and sample-specific information in this package is complete and meets or exceeds the minimum requirements for

acceptability.

Comments:

If you have any questions or concerns regarding this analysis, please feel free to

contact the project manager.

Disclaimer:

This report shall not be reproduced, except in full, without the written approval of the laboratory. The results only represent that of the samples as received into

the laboratory.

Paul Duda

7/14/17

Client: A078 - AirKinetics

Report Number: 17-078A

17-C219

Lab ID: Client ID:

A-0212-POLE-XON

Site:

Aerocraft Heat Treating

Sample Date:

2/12/17

Deposit Area: 6.60 cm²

Analyte

ng/filter Conc. MDL

IC

Cr VI

0.750 16.92

17-C220

Lab ID: Client ID:

A-0212-RTO-XON

Site:

Sample Date:

Aerocraft Heat Treating 2/12/17

Deposit Area:

6.60 cm2

ng/filter

Analyte

Conc. MDL

IC

Cr VI

19.10 0.750

#### QA/QC Report

**AirKinetics** 

Client Name: AirKine
Project Number: A078
Analytical Technique: IC-PCR
Sample Description: 37mm In
Report Number: 17-078

37mm Impregnated Cellulose 17-078A

#### Blank Data

Analyte	Sample	Measured	MDL
	ID	Conc. μg/L	Conc. μg/L
Cr VI Cr VI Cr VI Cr VI	ICB CCB ICB CCB CCB	< MDL < MDL < MDL < MDL	0.050 0.050 0.050 0.050 0.050

<sup>\*:</sup> Method Blank concentration in µg/filter

#### Calibration QC

Analyte	Sample	Standard	Measured	Percent
	ID	Conc. µg/L	Conc. µg/L	Recovery
Cr VI Cr VI Cr VI Cr VI	CCA CCA CCA CCA	1.00 1.00 1.00 1.00	1.02 1.04 1.02 1.04 1.03	101.8 104.1 101.8 104.1 103.2

#### Replicate Data

Insufficient sample to perform Replicate and/or Replicate not required

#### Matrix Post Spike Analysis

Insufficient sample to perform matrix post spike and/or matrix post spike not required

<u>QA/QC Limits</u> <u>Continuing Calibration:</u> ± 10% Replicates: ± 20% RPD


LCS: ± 20% Post Spikes: ± 25%

PO Numb	O Number: 7920-SB Sample Chain of Custody Record Page _1_ of										_1of1						
Project Na	eme:	Aerocraft He	at Treating	AKI Contact:	Morgan N (714) 254-	guyen 1945; ext, 114		Analyses Required									
Unit(s):				Results to: Nguyenm@airkineticsinc.com  Results to: akisublab@airkineticsinc.com													
Project No	Project No.: 14626				becovered by	ć	\$					Ì					
Lab JD No.	AKI ID No.	Sample ID			Bata		No.						ļ				_
17 CZ/1		A-0212-POLE			Date 2/12/17	7ime 0:00	Samples 1	-	+	+	+	┼	$\vdash$	├	<del>  </del>	$\overline{}$	Comments
174 860	+	A-0212-POL			2/12/17	0:00	+ ;	X	+	╁	╁	╁─	┝╾	1	$\vdash$		PRIORITY
		A-0212-R10-	VOI		21217	0.00	† '		+	╁	$\vdash$	┢	$\vdash$	-	$\vdash$	$\dashv$	PRIORITY
		ļ							$\Box$								
	<del>                                      </del>	-				<del> </del>			_		↓	Ь.	ــــ	┖	lacksquare		<u> </u>
	+	+				<u> </u>	<del> </del>	_	-	-		<b>├</b> —	╙	<u> </u>	$\vdash$		
-	<del>                                     </del>	<del>                                     </del>					<del> </del>	-	_	╀	├		<del> </del>	├	$\vdash$		_
	<del>                                     </del>	+						-+		╁─	+	╂─	┢		<del>   </del>	_	
										十一		┢	_		$\vdash$		
	<del> </del>																
	<u> </u>		<del>, -</del> -		_		<u> </u>				<del> </del>			L			
TAT:	RUSH - 24	ır	Decises D.			Relinquished by		t)	Dat	e/Time	Record	you by:	(Sign	& Print	)		Date/Time
Ship to:	Paul Duda	_	Project Rem A-0212-POL			Morgan !	lgug eQ_		<b></b>	<i>5.</i> Q	L.:	<u> </u>	ـ ۷	~ <i>\</i>	<u> </u>	4	-2/12/-7_
Snip to:			-			ubm ()			711	417	<u> '`</u>	ا <u>ي., د</u> ا	D	براد			13:53
	Chester Lab		A-0212-RTC			.42.4	<b>/_</b>				<b> </b>					4	tems . 2.3 °C
	12242 SW G		Same day P	nonty					+		-					_	
	Tigard, OR 93 (503)524-218								+		<b></b>					+	
Special Ins		·	d laborator	v results	to both e	mail addres:	ses listed	above	_ <del>-1</del>		<u>.                                    </u>	_					
													=	A	<b>N</b> I 1	308 S	lics, Inc. outh Allec Street n, CA 92805
												,	471				54-1945

#### RAW DATA

Available upon request

# RESPONDENT AEROCRAFT'S EXHIBIT D MAP OF DISTRICT MONITORS IN PARAMOUNT



### **RESPONDENT AEROCRAFT'S EXHIBIT E**

District's spreadsheet with analysis of the ratio between District Monitor 7 and District Monitor 8, as well as the predominant wind direction

#### Hexavalent Chromium Monitoring Results (ng/m³)

			icau,		00.				.g	Juito	(	,													
	Site Site		Site	Site	Sito	Site	Site	Site	Site	Site	Site	Site	Site	Site	Site	Sito	Site	Site	Site	Site	Site	Site	Wind	Rat	io 7 to
Sample Date	#2 #3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16	#17	#18:	#19	#20	#21	#22.	#23	#24	Direction	r 4 F	β,
Set, Oct 15, 2016	0.27 0.1	0.28	0.06	1:	7.9	WA	NA.	NIA	, QA	0.08	572	CZA.	MA.	W.	$\mathbb{M} \Delta$	100x	NA	MA	(WA	$\Omega \Delta$	NA	N/A)			
Tue, Oct 18, 2016	0.53 -	0.43	1.20	0.46	Invalid	N/A	NA.	7N/A	N/A	0.20	NA.			NIA	NA.	NA.	NA.	N/A	NA.	N/A	INA.	巡,			
2	بالمسائد 		نجسما نست.		ł h	25,0	p	2.4	210	p	100			7727	one Sa				h 350		80 10	Name and Address of the Owner, when the Owner, when the Owner, when the Owner, when the Owner, when the Owner,	·	بسروس	أسأسعم
Frl, Oct 21, 2016	0.14 0.1	0.41	0.68	0.9	1.1	(XXA	NA	ťØΔ	MY.	0.24	ΊΝΔ	NA	OVA)	ΩΔ)	N/A	· N/A	NA.	N/A	OZ)	MZ)	AZA.	NΑ	-		
Mon, Oct 24, 2016	1.50	0.34	0.59	0.89	4.2	N/A	NA	ΝĀ	'ŒΔ	0.24	N/A	h/A	(N/A)	WA.	(MA)	N/A	ŇΑ	NA	NZA	(N/A)	N/A	. EVA			
Thu, Oct 27, 2016	1.10 0.2	0.21	0.28	0.98	5	26	2.7	1.4	17	0.20	N/A	MA	N/A	NA.	N/A	N/A	N/A	IN/A	NA.	NA.	-INA	(N/A)	r		
Sun, Oct 30, 2016	0.46 . —	0.08	0.23	: 0.29	4.8.	25.	1,1	0.31	100	Invalid	N/A	DIA.	N/A	NA.	N/A	N/A	NA.	a N/A	NA	N/A	. NA <sup>™</sup>	INA		inch mu	
Wed, Nov 2, 2016	0.33 1 0.1		0.42		27		2.4	1.3	111	0.11	NA	N/A	NAT	N/A	NA	N/A	N/A	N/A	N/A	N/A	N/A	LNAS		171	
Sat, Nov 5, 2016	0.25 —	2 N/A	al Constitution	G facilities and the same	3.6	14	1.2	0.79	- 6.8	NA.	2.3	12	. 26 ,	0.51	0.61	N/A	N/A i	N/A	NAT	IN/A)	N/A7	NAT			
Tue, Nov 8, 2016		B NIA	-	NA	3.4	13	1.8	0.97	6.4	NAV	8.8	18	13	0.28	0.71	NA.	N/A	INA	NA	N/A	NA	N/A	[	FIL	
Fri. Nov 11, 2016	0.3 —	ENA		N/A	2.6	17	2.4	1.8	3.3	N/A)	8.4	15	16		0.44	N/A	N/A	ÑΑ	ΝA	NA	NΑ	NA			
Мол, Nov 14, 2016				N/A	2.7	12	0.07	0.43	9.5		Invalid	12	114	invalid		NA	IN/A	DZA.	NAT	N/A	V/A	N/A		1-71-	
Thu, Nov 17, 2016	0.25' —	N/A	10/2		1.1	بحسيما 17	2.6	1.2	3.4	N/A	4.0	7.0	2.3	0.27	0.32	Ñ/A	Ν/A	(VA	N/A	N/A	NΑ°	NA		1 i	
ALCOHOL TO MARKET AND STREET			Comment Series	District Contract	0.42	4.7	0.76	N/A	3.17	NA	0.98	3.8	10	0.57	0.14	NA	N/A	N/A	N/A	N/A	NA.	N/A		F10-	7
Sun, Nov 20, 2016	بتحصينا للمحسنات	Transferred	, N/A	N/A	-	-		-		-			-				A	00263	40000	Market Market	CHOMOTORIA	Difference of the last	<u> </u>	سبد اسسا	
Thu, Nov 24, 2016	0.06 0.0	-		NA	0.06	7.6	6.3	N/A	0.08	IVA:	0.11	0.1	0.11	0.06	0.05	0.06	N/A	estrick.	N/A	» N/A	(N/A)	NA.	, ,	<u></u>	
Sat, Nov 26, 2016	0.08 0.0			N/A	NSD	NSD	NSD	NA	NSD	INA	NSD	NSD	NSD	NSD	NSD	NSD	N/A	N/A	NA	N/A	Table 1	INA.	ļĹ	L/I	
Tue, Nov 29, 2016	0.10 -	INA	CI CONTRACTOR	, NA	1.8	12;	1.5	NA.	Invalid	N/A	1.8	4.4	·; 5.3 ;	0.35	0.42	Invalid	aNA.	N/A)	N/A	·MA	NA.	NA.		وشووينج	
Fri, Dec 2, 2016	0.29 0.0	7 NIA	NA	'N/A	0.84	-	1.7	N/A	2	N/A	1.3	1.6	2.6	0.51	0.14	3.8	-N/A7	N/A)	N/A3	N/A	N/Ass	NA.	ESE	income forces	0.17,
Mon, Dec 5, 2018	0.70	NVA	₹₩A	N/A		0.15	0.17	N/A	. 0.2	N/A	0.27	0.18	0.67	0.27	0.11.	0.17	N/A <sup>s</sup>	IN/A	N/A '	N/A	3 N/A	N/A	ENE		2.93
Thu, Dec 8, 2018	0.43 0.3	N/A	N/A	- N/A	0.75	1,30	0.47	N/A	4.90	N/A	0.93	5.70	-	0.21	0.30	1,50	N/A	N/A	N/A	MA	N/Aa	- N/A			0,58
Sun, Dec 11, 2016	_ 0.25' _ —	, N/A	MA	NA	0.23	2.30	0.32	(N/A)	0.35	N/A	0.16	0.13	0.27	0.11	0.16	2.20	N/A	N/A	N/A	N/A	N/A	N/A	ESE		0.10
Wed, Dec 14, 2016	0.31 0.2	5 NA	IN/A	(MX)	2.50	12.00	1.90	N/A	5.80	NA	4.40	10.00	3.00	0.44	0.77	1.60	1.40	0.48	N/A	NA	N/A	N/A	NW		0.21
Sat, Dec 17, 2016	0.61 —	N/A	NA	N/A	0.16	0.27	0.25	N/A	Invalid	N/A	0.99	0.57	0.37	0.08	0.16	0.28	1.00	Invalid	NA	NΑ	, NA	NA	WNW		0.59
Tue, Dec 20, 2016	0.18 0.1	5 NA	- 13/2	· N/A	1.01	3.01	1.97	N/A	0.55	NA.	1.80	.2.10	2.20	0.23	0.18	0.31	0.36	0.31	N/A	NA	N/A	N/A	NW		0.34
Sun. Dec 25, 2016	0.04 0.0	5 N/A	N/A	N/A	0.05	0.08	0.05	NA	0.05	N/A	0.06	0.05	0.05	0.05	0.04	0.06	0.06	Invalid	N/A	NA	NA.	N/A	SE		0.63
Thu, Dec 29, 2016	0.20	TNA	N/A	NA	0.23	Invalid	0:23	N/A	0.82	NA	2.50	2.00	1.50	0.15	0.22	0.41	0.28	0.27	INA	IN/A	INIA.	MALE A		F L Ir	nvelid
Sun, Jan 1, 2017	نىسىياتسىسىساك 0.19 0.3	STREET,	to transferre	CONTRACTOR OF THE PARTY OF THE	0.19	0.28	0.27	N/A	0.26	,NA	0.28	0.25	0.24	0.25	0.20	0.21	0.24	. NS	NA	NA.	NA	N/A	ESE		0.68
Wed, Jan 4, 2017.	0.23	N/A	(N/A	ŒΔ	invalid	0.40	linvalid	ÑĀ.	0.60	ΝA	0.70	0.99	1,04	0.22	0.39	0.24	0.16	0.15	N/A	NZ)	WA	NΆ		l le	nvalld
Sat, Jan 7, 2017	0.04 0.0	B N/A	N/A	N/A	0.14	0.39	0.86	ΝA	0.45	N/A	0.79	0.94	3.00	0.07	0.07	0,45	0.07	Invalid	N/A	N/A	ſ₩A	AVA.	NNW		0.36
Tue, Jan 10, 2017	0.74	N/A	RVA	N/A	1.16	2.21	0.75	N/A	0.31	ΝA	0.40	0.38	0.31	0.35	0.43	0.78	0.78	0,41	NVA	NA	N/A	(XVA)	SW		9,52
Fri, Jan 13, 2017	0.64, 0.1	يون ا			0.76	2.40	0.49	°IN/A	0.50	N/A°	0.33	0.39	0.52	0.23	0.25	0.68	0.43	invalid	0:20	NA	WA	NA	SSW		6.32
hannes and an income	11	N/A	C COLUMN	N/A	0.54	4.60	0.74	DVA:	por anyone	NA	1.54	0.78	0.68	0.33	0.14	0.23	0.61	Invalid	-	Invalid	NA.	N/A	NNW		0.12
Mon, Jan 16, 2017	0.73	A	Q/A	DEA.					Marrie		hitemani	-	احسسا	لسننسا			لسسنا	-	فسيسية	0.18	UNIA	A 15 (2)	land.		60°c p3
Thu, Jan 19, 2017	0.41 0.2		NA	EN/A	0.19	0.30	0.17	N/A.	NUMBER OF STREET	N/A	APPLICATIONS		1.26	0.30	0.20	0.32	1.41 Invalid	- 0.52 Invalid	0.81	0.08	NA	ANA.	ENE	(90)	bilato
Sun, Jan 22, 2017 Wed, Jan 25, 2017	0.51 0.1	AN/A	, N/A	N/A	4	0.11	0.21	N/A	0.10	NA	2.30	1:19	1.25	0.15	0.22	0.62	0.37	0.26	0.23	0.35	NA Y	NA	WSW		0.86
Thu, Jan 26, 2017	N/A N/A	_	N/A	NA	ENA		NA	WA	ENVATE	N/A	NA.	N/A	1.51	SNA.	N/A	N/A	0.29	NA	N/A	N/A	N/A	"NA"	" NW		nvalid
Set, Jen 28, 2017	0.07	FN/A	N/A	100	0,19	0.24			200	WA	0.36	0.44	0.38	0.13	0.10	0,18	- 0.24	NS.	0.21	NS	N/A	a N/A	629-W-		0.76
Tue, Jan 31, 2017	][ 0.15 ][ 0.1	O' INA		NA	0.82		0.38		1,92	N/A	0.81	2.74	15.17	0.22	0.21	0.90	0.25	0.15	0.33	0.43	"MA.	N/A	ESE		1.30
Fri, Feb 3, 2017	0.08 —	NA	de la company	NVA	0,15	0.40	0.22	N/A	0.37	ΝA	0.41	0.36	0.87	Invalid	0.13	1.09	0.20	NS.	0.32 -	NS	N/A	. N/A	ENE		0.38
Mon, Feb 8, 2017	11 0.09 11 0.0			IN/A	0.22			18m 6.	0.27		Invalid				0.34			N/A	2 88	0.09		2	NE	r~r~	1.29
Tue, Feb 7, 2017	N/A N/	HAR POPULATION	THE PERSONNEL CO.	NA	NOA.	2.01	N/A	NUM	INX	NA	NA	N/A	0.49	N/A	N/A	íVA	1,16	N/A	NA	NA	NA	N/A	SW	. مما اسبا	استتسا
Endengerment real, reserve	Pendin Pend	A CLASSIC		20.000	The section of	-	Formers or the	200	Sport and the second		No. of Street, or other Designation of the last of the	Person Street	Seattle of	-0300-00	-	POLICE PROPERTY.	-	Control of the	partitions.	Anthronis (San	Service descriptions	Doctor and			1000
Thu, Feb 9, 2017	ll a il a		, INA	, NA	0.38	0.52	0.72	N/A	0.30	NA	0.32	0,35	0.30	0.22	0.22	0.31	2.36	N/A	0.47	0.20	2.98	0.99	SW		0.70
Sun, Feb 12, 2017	Pendin Pend 9 9	lin N/A	10%	N/A	0.41	3.11	0.12	NA	0.21	NA:	0.25	0.19	0.23	0.20	0.21	0.42	Invalid	NA.	0.33	0.28	0.41	0.39	887		0,13
			.*	*																					

# **RESPONDENT AEROCRAFT'S EXHIBIT F**

# **UPDATE REPORT ON COMPLIANCE WITH Paragraph 6 OF THE ORDER**



Mr. Ian MacMillan, Planning and Rules Manager South Coast Air Quality Management District 21865 Copley Drive Diamond Bar, CA

January 13, 2017

Re: Aerocraft Heat Treating Co., Inc. (Aerocraft) – Wet Cleaning and HEPA Vacuum 30 Day

Update Summary

Dear Mr. MacMillan:

This letter is written in response to Paragraph 6 of the Stipulated Order for Abatement dated December 16, 2016.

Below is a summary which indicates completion and implementation of wet and/or HEPA cleaning procedures in the Heat Treat buildings, Grinding Enclosure building, Maintenance building (housing the plasma cutter) and housekeeping measures in outdoor areas.

In accordance with Paragraph 6 of the Stipulated Order Aerocraft has performed the following:

Location	Wet/HEPA Cleaning Activity	Date Completed
Grinding Building (Inspection Department)	Aerocraft hired a third party contractor to pressure wash and clean the Grinding building/area (formally known as the Inspection Department).	November 28th 2016
Entire Facility	Aerocraft discontinued the use of dry sweeping and began using wet mobile sweeper daily	November 30th 2016
Entire Facility	Aerocraft discontinued the use of compressed air for non-essential processing activities.	December 2 <sup>rd</sup> 2016
Grinding Building (Inspection Department)	Aerocraft installed plastic flaps and enclosed the Grinding building/area (formally known as the Inspection Department).	December 5th 2016
Fan Cool	Aerocraft cleaned and HEPA vacuumed the fan cool processing area.	December 6th 2016
Heat Treating	Aerocraft cleaned and HEPA vacuumed the Heat Treat (XYZ) storage racks.	December 6th 2016
Heat Treating	Aerocraft HEPA vacuumed all processing Heat Treat furnaces	December 7th 2016 - December 9th 2016
Heat Treating	Aerocraft hired third party contractor to pressure wash and clean the Heat Treating department	December 9th 2016



Entire Facility	Aerocraft implemented the use of HEPA vacuum cleaning after each shift in areas where fugitive metal dust has the potential to accumulate	December 15th 2016
Entire Facility	Aerocraft hired a third party contractor to scarify the facility floor(s) in various processing areas	December 21st 2016 - present
Entire Facility	Training was conducted for all affected employees on housekeeping and fugitive metal dust minimization (emphasizing the prohibition of compressed air and dry/broom sweeping).	January 6th 2017
Entire Facility	Developed a SOP specific for housekeeping and fugitive dust mitigation.	January 9th 2017
Grinding Building (Inspection Department)	Aerocraft hired a third party to pressure wash and clean the maintenance building area that houses the plasma cutter	January 13th 2017

In addition to the clean-up activities listed above, Aerocraft has implemented a Housekeeping & Fugitive Dust Minimization Procedure. This procedure will help support and guide housekeeping activities throughout the facility. The procedure will also help to ensure that the facility maintains (on a routine basis) each of the best practices listed in the Stipulated Order for Abatement.

Aerocraft Heat Treating Co., values your service and looks forward to continuing a viable working relationship with the District. Should you have any questions or require additional information, please contact the undersigned by phone (562) 822-9355 or by email (Greg Stonick osonick@dickscntesting.com)

Sincerely

Greg Stønick General Manager

CC:

Peter Serrurier Thomas Wood Mike Dupont District Personnel

## **RESPONDENT AEROCRAFT'S EXHIBIT G**

# DECLARATION OF GREG STONICK GENERAL MANAGER OF AEROCRAFT

_	WALL MORNING	
1	IVAN J. TETHER TETHER LAW	:
	860 Via de la Paz, Suite E-3D	·
	Pacific Palisades, CA 90272 Telephone: (310)573-2100	
٦	Facsimile: (310)573-2100	
4	E-mail: ivan@tétherlaw.com	
5	Attorney for Aerocraft Heat Treating Co., Inc.	
6		
7		
8	BEFORE THE HEAR	ING BOARD OF THE
9	SOUTH COAST AIR QUALIT	Y MANAGEMENT DISTRICT
10		
11	In the Matter of the Petition of	Case No. 6066-1
12	SOUTH COAST AIR QUALITY	DECLARATION OF GREG STONICK IN
13	MANAGEMENT DISTRICT, Petitioner,	SUPPORT OF RESPONDENT AEROCRAFT'S NOTICE OF EX PARTE
14	vs.	MOTION AND EX PARTE MOTION FOR
15	ļ	REVIEW OF IMPLEMENTATION BY THE DISTRICT OF THE STIPULATED ORDER
	AEROCRAFT HEAT TREATING CO.,	FOR ABATEMENT ENTERED BY THE
16	INC.	HEARING BOARD Health and Safety Code §§ 41700 and
17	[Facility ID No. 23752];	42451(b) and District Rule 402
18	ANAPLEX CORP. [Facility ID No. 16951]; and	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
10	DOES 1-100	DATE: February 16, 2017 DATE ORDER ENTERED:
19	D	December 16, 2016
20	Respondents.	PLACE: 21865 Copley Drive
		Diamond Bar, CA 91765
21		
22		
23	<u>DECLARATION O</u>	F GREG STONICK
24		
25	1. I am the General M	Ianager of Aerocraft Heat Treating Co.
26	("Aerocraft"), Inc., located at 15701 Minneso	ta Ave, Paramount, CA 90723. Its SCAQMD
27	Facility ID is 23752. Aerocraft is in the busing	ness of metal heat treating. In this position, I
28	am responsible for the overall management ar	nd supervision of Aerocraft. The facts set forth
	GREG STONICK'S DECLADATION IN SUBDOD	T OF RESPONDENT AEROCRAFT'S NOTICE OF

MOTION AND MOTION