

South Coast Air Quality Management District 21865 COPLEY DRIVE, DIAMOND BAR, CA 91765-4178

NOTICE OF VIOLATION

P 69526

DATE OF VIOLATION				
Month:	Day:	Year		
0	1	10		
8	WORLD IN	10		

ARA Roady Mixed Concrete INC	Facility ID#: 384269	T, V. LF
100 E Redundo Beach Blvd	Cordona	Zip: 90248
134 W Redundo Beach Blvd	Cardena	90247

YOU ARE HEREBY NOTIFIED THAT YOU HAVE BEEN CITED FOR ONE OR MORE VIOLATIONS OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT (SCAQMD) RULES, STATE LAW OR FEDERAL LAW. IF PROVEN, SUCH VIOLATION(S) MAY RESULT IN THE IMPOSITION OF CIVIL OR CRIMINAL PENALTIES.

	OLATION ARE I	OF VIOLATION	ONS me	Mossic evicus		.90	el mudele medical	six to a de-Wa	at al le le tone	porture and concentration
#	Authority*	Code Section or Rule No.	SCAQMD Permit to Operate or CARB Registration No.	Condition No. (If Applicable)				Descrip	tion of Violation	n en regionale de la companya de la
1	SCAQMD CH&SC CCR CFR	403 (1)(4)			Tr. +4	ac 4	0uf 25	exte feet	nds of from	facility.
2	☐ SCAQMD ☐ CH&SC ☐ CCR ☐ CFR	e gesterrence sugal ribits of prisping silvers	Acidos	Tarioses (1)		19/1/ 1/19/1	e or looks	governorius Lumanis		arbas, veenas albas, geb
3	☐ SCAQMD ☐ CH&SC ☐ CCR ☐ CFR	wai in alia unavan lawan unavan lawan	eaftering for	25-25 VALUE OF			nopel	They	ices redital compression compression tinggresses tinggresses	We are Matters of Violences Country to the coloniest Country Military States Pilling By S
4	☐ SCAQMD ☐ CH&SC ☐ CCR ☐ CFR					24 kin	And so h	COMMUNICATION OF THE PROPERTY		
5	SCAQMD CH&SC CCR CFR		e interes	(021)		un usus	el engli	102	di	HELD CONTROL OF THE PROPERTY O
1	Nanuel	pellegri	n 2	No. 5/5,001	33	Served By:	1	411-en V	'n	Date Notice Served:
Title	1	1 a rager	Email:	egringAAR	endy nix	Phone No: 90)9-396- 0-233-	2673	taller	7 V 4 @ aqmd.go
*Ke	*Key to Authority Abbreviations: **SCAQMD – South Coast Air Quality Management District **SCAQMD – South Coast Air Quality Management District **CPR – California Code of Regulations **CPR – California Code of Regulations **CPR – Code of Federal Regulations									