

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**AMERICAN STANDARD WATER HEATERS  
 (Certified @ 10 ng/J NOx)**

<b>AMERICAN STANDARD</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
G-30L-1-3-6 G-30L-1-3-12 G-30L-2-3-6 G-30L-2-3-12	30	35,000
G-40L-1-3-6 G-40L-1-3-12 G-40L-2-3-6 G-40L-2-3-12	40	37,000
G-50L-1-3-6 G-50L-1-3-12 G-50L-2-3-6 G-50L-2-3-12	50	40,000
G-30T-1-3-6 G-30T-1-3-12 G-30T-2-3-6 G-30T-2-3-12	30	35,000
G-40T-1-3-6 G-40T-1-3-12 G-40T-2-3-6 G-40T-2-3-12	40	40,000
G-50T-1-3-6 G-50T-1-3-12 G-50T-2-3-6 G-50T-2-3-12	50	40,000
G50T-1-4-6 G-50T-1-4-12 G-50T-2-4-6 G-50T-2-4-12	50	48,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**AMERICAN STANDARD WATER HEATERS**  
(Certified @ 10 ng/J NOx)

<b>Certified Models</b>	<b>Tested?</b>	<b>Max Heat Input Rating (BTU/hr)</b>	<b>Tank Capacity (Gallon)</b>
<b>American Standard</b>			
GN50T1-3-6	√	40,000	50
GN50T1-3-12		40,000	50
GN50T2-3-6		40,000	50
GN50T2-3-12		40,000	50
GN30T1-3-6	√	35,000	30
GN30T2-3-6		35,000	30
GN50L2-3-6	√	40,000	50
GN30L2-3-6	√	35,000	30
GN40T1-3-6	√	40,000	40
GN40T1-3-12		40,000	40
GN40T2-3-6		40,000	40
GN40T2-3-12		40,000	40
GN40L2-3-6	√	37,000	40

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)**  
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Penfield	Sears	Capacity (Gallons)	Input (BTU/Hr)
UG(1,3,5,6,8,9,10,12)(1,2)30T303N GU(B)(6,9,12)(1,2)30T30	UG(1,2)(A,E,F,H,J)3030T3N NU30T(1,3,6,9,12)(1,2)-303 UNG(1,2)(A thru Z)3030T(B)	6 30UORT	GCHN-30	GS6 30UORT (G)		153.330200 153.556300	30	30,000
GU(1thru50)1 30T30 JU30-30	NA	6 30 UNORT	GUC30	GS6 30 ORUT			30	33,000
UG(1,3,5,6,8,9,10,12)(1,2)40T403N GU(6,9,12)2 40T40 GU(1 thru 50)1 40T40 GU(1 thru 50)2 40S40 JUS40-40 JU40-40	UG(1,2)(A,E,F,H,J)4040T3N NU40T(1,3,6,9,12)(1,2)-403 UNG2(A thru Z)4040T UNG2(A thru Z)40405	6 40UBRT 6 40UOCT 9 40UKRT (6,9) 40U(B,K)CT (6,9)40UN(B,K)RT (6,9)40UN(A,B,K)CT 6 40 UNBCS (6,9,12)40UN(A,B,K)CT	GCHN-40 GNR-40 GUR 40 GUC40 GURL 40 HUR40 HURL40 G(1 thru 50)-US4040NV	GS6 40UBRT (G) GS6 40UOCT (G) GS6 40 BCUT GS6 40 BRUT GS6 40 BCUS GW8 40 BCUT GW8 40 BCUS		153.330642 153.330942 153.331242 153.330660 153.330960 153.331280 153.330220 153.330250 153.330280 153.556400 153.559400 153.552400	40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N GU(6,9,12)2 50T40 GUF(1 thru 50)2 40T40	UG(1,2)(A,E,F,H,J)5040T3N NU50T(1,3,6,9,12)(1,2)-403 UNG2(A thru Z)5040T	6 50UBRT 6 50UOCT 9 50UKRT (6,9) 50U(B,K)CT (6,9,12) 40 UNBFT*	GCHN-50 GNR-50 (G,X)UF 40 G(1 thru 50)- UFDT4040NV	GS6 50UBRT (G) GS6 50UOCT (G) GS(6,9,12) 40 BFT*		153.330652 153.330952 153.331252 153.330970 153.331290 153.330230 153.330270 153.330290 153.556500 153.595500 153.552500 153.556410	40	40,000
JU50-40 GU(1 thru 50)1 50T40 GUF(1 thru 50)2 50T40		(6,9,12) 50 UN (B,K)CT (6,9,12)50UN(A,B,K)CT (6,9)50UN(B,K)RT (6,9,12) 50 UNBFT*	GUR 50 GUC50 HUR50 (G,X)UF 50 G(1 thru 50)- UFDT5040NV	GS6 50 BCUT GS6 50 BRUT GW8 50 BCUT GS(6,9,12) 50 BFT*		153.556510	50	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)**

(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

<b>American Water Heater</b>	<b>U.S. Craftmaster</b>	<b>Reliance</b>	<b>A.O. Smith</b>	<b>State</b>	<b>Penfield</b>	<b>Sears</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
MFG(1,6,9)(1,2)30T303NOV (Mobile Home)*	MFG(1,2)(A,F,H)3030T3NOV	6 30YJMT 100 6 30YJMTD 100	AFMV 30 100	GS6 30YOMAT 100 SCI 30YOMAT 100		153.333870 153.333880	30	30,000
MFG(1,6,9)(1,2)40T403NOV (Mobile Home)*	MFG(1,2)(A,F,H)4040T3NOV	6 40YJMT 100 6 40YJMTD 100	AFMV 40 100	GS6 40YOMAT 100 SCI 40YOMAT 100		153.333970 153.33980	40	40,000
NGM 30-35.5 (Mobile Home)*		6 30GOMT*	FMV 30*	GS6 30YOMT SCI 30YOMT	6 30YOMT	153.336340	30	35,500
NGM 40-35.5 (Mobile Home)*		6 40GOMT	FMV 40	GS6 40YOMT SCI 40YOMT	6 40YOMT	153.336444	40	35,500

\*MFG - & NGM - series are Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)**

(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Lochinvar	Capacity (Gallons)	Input (BTU/Hr)
UG(1,3,5,6,8,9,10,12)(1,2)30T303N			G(1 thru 50)(N)-UT3030NV		UTN3030(B)	30	30,000
UG(1,3,5,6,8,9,10,12)(1,2)40T403N GU(1 THRU 50)(1,2)40T40			G(1 thru 50)(N)-UT4040NV		UTN4040 UTN4040-8	40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N			G(1 thru 50)(N)-UT5040NV		UTN5040 UTN5040-8	40	40,000
UPVG(6,9,12)240T42NV	UPVG2(F,H,J)4042TN V	(6,8,10,12)40UBVIT	GPNH-40	GS(6,X)40UBVIT	UPN0404ES	40	42,000
DVUG(6,9,12)240S36NV		6 40 UBDS L	GDNL 40L 100 G(1 thru 50)(N)-UDVS4036NV	GS6 40 UBDS L	UVN040 40ST	40	36,000
DVUG(6,9,12)250T38NV		6 50 UBDT L	GDNT 50L 100 G(1 thru 50)(N)- UDVT5038NV	GS6 50 UBDT L	UVN050 40ST	50	38,000
UPVG(6,9,12)250T42NV	UPVG2(F,H,J)5042TN V	(6,8,10,12)50UBVIT	GPNH-50	GS(6,X)50UBVIT	UPN0504ES	50	42,000
UG(6,9,12)250T504NV UG(6,9,12)250T504N GU(6,9,12)2 50T50 GU(1 thru 50)2 50T50(L)	UG2(F,H,J)5050T4NV		GCNT-50 (G,H,X)URT 50L G(1 thru 50)(N)-UT5050NV	GS6 50URRT GS6 50 RCUT GW8 50 RCUT(L)	UTN05050 UTN5050-8	50	50,000
PV ULN 40T42			G(1 thru 50)(N)-UPVT4042NV			40	42,000
PV ULN 50T42			G(1 thru 50)(N)-UPVT5042NV			50	42,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)  
 (Certified @ 10 ng/J NOx)**

<b>American Water Heater</b>	<b>AO Smith</b>	<b>American</b>	<b>US Craftmaster</b>	<b>Lochinvar</b>	<b>Kenmore/ Sears</b>	<b>Input (BTU/hr)</b>
JU40-40	G(1 thru 50)(N)-UT4040NVR	GU(1 thru 50)(1,2) 40T40R	UNG1(A Thru Z)4040TR	UTN04040R UTN04040-8R(T)	153.556401 153.559401 153.552401	40,000
JU50-40	G(1 thru 50)(N)-UT5040NVR	GU(1 thru 50)(1,2) 50T40R	UNG1(A Thru Z)5040TR	UTN05040R UTN05040-8R(T)	153.556501 153.559501 153.552501	40,000
JU30-30	G(1 thru 50)-UT3030NVR			UTN03030R UTN03030-8R(T)		30,000

**AMERICAN WATER HEATER COMPANY  
 (Certified @ 10 ng/J NOx)**

<b>American Water Heater</b>	<b>Whirlpool</b>	<b>Lochinvar</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
UG(1,3,5,6,8,9,10,12)(1,2)30T303N GU(B)(1 thru 50)(1,2)30T30	30T(3,6,9,10,12)-30UNG		30	30,000
UG(1,3,5,6,8,9,10,12)(1,2)40T403N	40T(3,6,9,10,12)-40UNG		40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N GU(1 thru 50)(1,2) 50T40 GUF(1 thru 50)2 40T40	50T(3,6,9,10,12)-40UNG 40T(1 thru 50)-40UDNG		40	40,000
GU(1 thru 50)2 50T50(L) GUF(1 thru 50)2 50T40	50T(3,6,9,10,12)-50UNG 50T(1 thru 50)-40UDNG		50	50,000
JU40-40	40S(1 thru 50) 40UNG		40	40,000
JUS40-40		USN04040-8	40	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. SMITH (AMERICAN WATER HEATER COMPANY)**  
 (Certified @ 10 ng/J NO<sub>x</sub>)

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model		
AO Smith			State	American	Lochinvar
<b>GPDNL-40 100</b>	40,000	40	<b>GS6-40-UBPDS 100</b>	<b>UPDVG62-40S40 100</b>	<b>UPDN04040 100</b> <b>UPDN04040Z 100</b>
<b>GPDNT-50 100</b>	40,000	50	<b>GS6-50-UBPDT 100</b>	<b>UPDVG62-50T40 100</b>	<b>UPDN05040 100</b> <b>UPDN05040Z 100</b>

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. Smith Water Products Co.**

**Certified @ 10 ng/J NOx**

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model						
			AO Smith	American	Reliance	State	Envirosense	Envirosense Enecare	Envirosense Reliance Home Comfort
HVC-40	50,000	40	GPCT-40L 100 GC6-PS4050NV 100 GPCC-40L 100	PCG62-40S50L 100	6-40-YRPCS 100	GP6-40-YRPCSL 100	ENV 40N 100	ENV 40N-ENER 100	ENV 40N-RHC 100
HVC-50	65,000	50	GPCX-50L 100 GC6-PS5065NV 100 GPCC-50L 100	PCG62-50S65L 100	6-50-YXPCS 100	GP6-50-YXPCSL 100	ENV 50N 100	ENV 50N-ENER 100	ENV 50N-RHC 100



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. Smith Water Products Co.**

**Certified @ 10 ng/J NOx**

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model				
			A.O. Smith	State	Reliance	American	Lochinvar
<b>GPVNT-40</b>	42,000	40	<b>G6-UPT4042NV</b>	<b>GS6-40-UBPVT</b>	<b>6-40-UBPVT</b>	<b>UPG62-40T42NV</b>	<b>UPVN04040</b>
<b>GPVNT-50</b>	42,000	50	<b>G6-UPT5042NV</b>	<b>GS6-50-UBPVT</b>	<b>6-50-UBPVT</b>	<b>UPG62-50T42NV</b>	<b>UPVN05040</b>

**Certified @ 10 ng/J NOx**

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model				
			A.O. Smith	State	Reliance	American	Lochinvar
<b>GURT-50RL</b>	50,000	50	<b>G6-UT5050NVR XURT-50RL</b>	<b>GS6-50-RCUTR</b>	<b>6-40-UBPVT</b>	<b>GU62 50T50R</b>	<b>UTN05050-8R UTN05050R</b>

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. Smith Corp.**

**Certified @ 10 ng/J NOx**

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model		
AO Smith			AO Smith	State	American
<b>GDVNL-40L</b>	36,000	40	<b>G6-UDS4036NV</b>	<b>GS6-40-UODSL</b>	<b>UDG62-40S36-NV</b>
<b>GDVNT-50L</b>	38,000	50	<b>G6-UDT5038NV</b>	<b>GS6-50-UODTL</b>	<b>UDG62-50T38-NV</b>

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. Smith Corp.**

**Certified @ 10 ng/J NOx**

Certified Base Model	Certified by Extension Model						Tank Capacity (Gallons)	Max. Heat Input (BTU/hr)
	A. O. Smith	State	Reliance	American	U.S. Craftmaster	Lochinvar		
UG(6,9,12)250T504N	(G,H,X)URT-50L *** G(1 thru 50)(N)-UT5050NV ***	GS(6,X)-50-RCUT(L) *** GW8-50-RCUT(L) ***		GU(1 thru 50)2-50T50(L) ***		UTN5050 *** UTN5050-8(T) ***	50	50,000
JU30-30	GUC-30 *** XUC-30 *** G(1 thru 50)-UT3030NVR ***	GS(6,X)-30-ORUT ***	6-30-UNORT ***	GU(1 thru 50)1-30T30 ***		UTN03030R *** UTN03030-8R(T) ***	30	33,000
JU40-40	GUR-40 *** GUC-40 *** HUR-40 *** XUR-40 *** HUC-40 *** XUC-40 *** G(1 thru 50)(N)-UT4040NVR ***	GS(6,X)-40-BCUT *** GS(6,X)-40-BRUT *** GW8-40-BCUT *** GW8-40-BRUT ***	(6,9,12)-40-UN(A,B,K)CT *** (6,9)-40-UN(B,K)RT ***	GU(1 thru 50)(1,2)-40T40R ***	UNG1(A Thru Z)4040TR ***	UTN04040R *** UTN04040-8R(T) ***	40	40,000
JUS40-40	GURL-40 *** HURL-40 *** XURL-40 *** G(1 thru 50)-US4040NV ***	GS(6,X)-40-BCUS *** GW8-40-BCUS ***	6-40-UNBCS ***	GU(1 thru 50)2-40S40 ***	UNG2(A thru Z)4040S ***	USN04040 *** USN04040-8 ***	40	40,000
JU50-40	GUR-50 *** GUC-50 *** HUR 50 *** HUC-50 *** XUR-50 *** XUC-50 *** G(1 thru 50)(N)-UT5040NVR ***	GS(6,X)-50-BCUT *** GS(6,X)-50-BRUT *** GW8-50-BCUT *** GW8-50-BRUT ***	(6,9,12)-50 UN(A,B,K)CT *** (6,9,12)-50-UN(B,K)RT ***	GU(1 thru 50)(1,2)-50T40R ***	UNG1(A Thru Z)5040TR ***	UTN05040R *** UTN05040-8R(T) ***	50	40,000
GURT-50RL	GURT-50RL *** XURT-50RL *** G6-UT5050NVR ***	GS6-50-RCUTR ***	6-40-UBPVT ***	GU62-50T50R ***		UTN05050R *** UTN05050-8R ***	50	50,000
GUF-40	(G,X)UF-40 *** G(1 thru 50)-UFDT4040NV ***	GS(6,9,12)-40-BFUT* ***	(6,9,12)-40-UNBFT* ***	GUF(1 thru 50)2-40T40 ***			40	40,000
GUF-50	(G,X)UF-50 *** G(1 thru 50)-UFDT5040NV ***	GS(6,9,12)-50-BFUT* ***	(6,9,12)-50-UNBFT* ***	GUF(1 thru 50)2-50T40 ***			50	40,000

\*Additional alphanumeric character denoting model variations

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**A.O. Smith Corp.**

**Certified @ 10 ng/J NOx**

Certified Base Model	Certified by Extension Model					Tank Capacity (Gallons)	Max. Heat Input (BTU/hr)
	A. O. Smith	State	Reliance	American	Lochinvar		
GPVNT-40	GPVNT-40 *** G6-UPT4042NV ***	GS6-40-UBPVT ***	6-40-UBPVT ***	UPG62-40T42NV ***	UPVN04040 ***	40	42,000
GPVNT-50	GPVNT-50 *** G6-UPT5042NV ***	GS6-50-UBPVT ***	6-50-UBPVT ***	UPG62-50T42NV ***	UPVN05040 ***	50	42,000
PV ULN 40T42	GPNH-40 *** G(1 thru 50)(N)-UPVT4042NV ***	GS(6,X)-40-UBVIT ***	(6,8,10,12)-40-UBVIT ***	UPVG(6,9,12)240T42NV ***	UPN04040(ES) ***	40	42,000
PV ULN 50T42	GPNH-50 *** G(1 thru 50)(N)-UPVT5042NV ***	GS(6,X)-50-UBVIT ***	(6,8,10,12)-50-UBVIT ***	UPVG(6,9,12)250T42NV ***	UPN05042(ES) ***	50	42,000

\*Additional alphanumeric character denoting model variations

**Certified @ 10 ng/J NOx**

Certified Base Model	Certified by Extension Model					Tank Capacity (Gallons)	Max. Heat Input (BTU/hr)
	A. O. Smith	State	Reliance	American	Lochinvar		
DVUG62-40S36NV	GDNL-40L *** G(1 thru 50)(N)-UDVS4036NV ***	GS6-40-UBDSL ***	6-40-UBDSL ***	DVUG(6,9,12)2-40S36-N(V) ***	UVN040 40ST ***	40	36,000
DVUG62-50T38NV	GDNT-50L *** G(1 thru 50)(N)-UDVT5038NV ***	GS6-50-UBDTL ***	6-50-UBDTL ***	DVUG(6,9,12)250T38N(V) ***	UVN050 40ST ***	50	38,000
GDVNL-40L	GDVNL-40L *** G6-UDS4036NV ***	GS6-40-UODSL ***	/	UDG62-40S36-NV ***	/	40	36,000
GDVNT-50L	GDVNT-50L *** G6-UDT5038NV ***	GS6-50-UODTL ***	/	UDG62-50T38-NV ***	/	50	38,000

\*Additional alphanumeric character denoting model variations

**BRADFORD WHITE**  
(Certified @ 10 ng/J NOx)

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

<b>BRADFORD WHITE</b>	<b>BRADFORD WHITE SOLAR</b>	<b>VELUX SOLAR</b>	<b>Capacity (Gallons)</b>	<b>Input (BTU/Hr)</b>
URG130T6N			30	27,000
U1-30S6FRN			30	30,000
U1-30T6FRN, URG1D30T6N			30	32,000
U4-30T6FRN, URG230T6N			30	32,000
URG140T6N			40	34,000
URG150T6N			50	34,000
U1-40T6FRN, URG1D40T6N			40	40,000
U1-403T6FRN			40	40,000
U4-40T6FRN, URG240T6N			40	40,000
U1-403S6FRN, URG1D40S6N			40	40,000
U1-XR-403S6FRN			40	40,000
U4-403S6FRN ,URG240S6N			40	40,000
U1-5036FRN ,URG1D50T6N			50	40,000
U4-5036FRN, URG250T6N	SDW4U5036FRN		50	40,000
U1-50L6FRN, URG250L6N			48	40,000
U1-404T6FRN			40	50,000
U1-504S6FRN, URG250S6N			50	50,000
U1-60T6FRN			60	40,000
U4-60T6FRN			60	40,000
U2-XR504T6FRN, URG250H6N, ULG250H553N			48	55,000
U2-XR65T6FRN	SDW2U65T6FRN	TFF 060 2205US	65	55,000
U1TW40S6FRN, URG1PV40S6N, URG1PV40S6N19			40	40,000
U2TW65T6FRN			65	60,000
U1TW50S6FRN, URG1PV50S6N, URG1PV50S6N19			50	40,000
U1TW60T6FRN			60	42,000
U2TW50T6FRN, URG2PV50H6N, ULG2PV50H563N, URG2PV50H6N19, ULG2PV50H563N19			48	56,000
U4TW40T6FRN, URG2PV40T6N, URG2PV40T6N19			40	40,000
U4TW50T6FRN, URG2PV50T6N, URG2PV50T6N19			50	40,000
U4TW60T6FRN			60	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**BRADFORD WHITE**  
(Certified @ 10 ng/J NOx)

<b>BRADFORD WHITE Base Model</b>	<b>BRADFORD WHITE New Models</b>	<b>Capacity (Gallons)</b>	<b>Comments</b>	<b>Input (BTU/Hr)</b>
UDS140S6FRN	URG2DV40S6N	40	DV	38,000
UDS150S6FRN	URG2DV50S6N	50	DV	38,000
UDH1504T6FRN	URG2DV50H6N	48	DV	45,000
UDH165T6FRN		65	DV	45,000
UDH175S6FRN		75	DV	50,000
UDH50T45FR3N	ULG2DV50H453N	48	DV	45,000
UDH65T45FR3N		65	DV	45,000
UDH75T50FR3N		75	DV	50,000
UPDX140S6FRN	URG2PDV40S6N	40	PDV	40,000
UPDX150S6FRN	URG2PDV50S6N	50	PDV	40,000
UPDX250T6FRN	URG2PDV50H6N	48	PDV	50,000
UPDX265T6FRN		65	PDV	55,000
UPDX275T6FRN		75	PDV	55,000
UPDX50S50FR3N	ULG2PDV50H503N	48	PDV	50,000
UPDX65S55FR3N		65	PDV	55,000
UPDX75S55FR3N		75	PDV	55,000

DV—Direct Vent, PDV—Power Direct Vent

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**DONGYONG HOT WATER SYSTEMS, INC. (DYHOT)**

(Certified @ 15 ppm NO<sub>x</sub>)

<b>DYHOT</b>	<b>HTP</b>	<b>Westinghouse</b>	<b>Input (BTU/Hr)</b>
DH40-75T	RGH40-75F	WGRGH40NG75F	74,999

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**RHEEM SALES COMPANY**  
(Certified @ 10 ng/JNOx)

Rheem	Rheem Professional	Ruud	Ruud Professional	Richmond	GE	Hot Point	Gallons	INPUT (Btu/hr)
22X50FN 22V50FN 22V50FNVE XG48T06EN40U0 22V50FNE2 PROG48-40URH58 24V50FN 24V50FNEV 24X50FN PROG48-40U RH60 PRO+G48-40U RH60 XG48T06EN40U1 XG48T09EN40U0 XG48T12EN40U0	RHG PRO50FN	P2-50FN M2-50FN	RUG PRO50FN M4-50FN PROG48-40U RU60 PRO+G48-40U RU60	6G50-40FN 12G50-40FN 9G50-40FN 12G50-40FN3 6G50-40FN3 9G50-40FN3	GG48T06AXK00 SG48T12AXK00 PG48T09AXK00	---	50	40,000
22V40FN 22V40FNVE XG38T06EN38U0 22X40FN 22V40FNE2 PROG38-38URH60 24V40FN 24V40FNEV 24X40FN PROG38-38U RH62 PRO+G38-38U RH62 XG38T06EN38U1 XG38T09EN38U0 XG38T12EN38U0 SCG38T03UN38U1	RHG PRO40FN	P2-40FN M2-40FN	RUG PRO40FN M4-40FN PROG38-38U RU62 PRO+G38-38U RU62	6G40-40FN 12G40-40FN 9G40-40FN 12G40-38FN3 6G40-38FN3 9G40-38FN3	HG38T01AXK00 GG38T06AXK00 SG38T12AXK00 PG38T09AXK00	---	40	38,000
22V30FN 22V30FNVE XG28T06EN30U0 22X30FN PROG28-30URH62 24V30FN 24V30FNEV 24X30FN XG28T06EN30U1	RHG PRO30FN	P2-30FN M2-30FN	RUG PRO30FN M4-30FN PROG28-30U RU63 PRO+G28-30U RU63	6G30-30FN 12G30-30FN3 6G30-30FN3 9G30-30FN3	GG28T06AXK00 HG28T01AXK00 PG28T09AXD SG28T12AXD	---	30	30,000



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

XG28T09EN30U0 XG28T12EN30U0								
22V40SFN 22V40SFNVE XG38S06EN36U0 22X40SFN PROG38S-36URH60 24V40SFN 24V40SFNEV 24X40SFN PROG38S-36U RH62 PRO+G38S-36U RH62 XG38S06EN36U1 XG38S09EN36U0 XG38S12EN36U0	22V40S PROFN	P-240SFN M2-40SFN	P2-40S PROFN M4-50FN PROG38S-36U RU62 PRO+G38S-36U RU62	6G40S-36FN 9G40S-36FN 12G40S-36FN3 6G40S-36FN3 9G40S-36FN3	GG38S06AXK00 PG38S09ASK00	HG38S01AXK00	38	36,000
22VR40FN 22VR40FNVE XG40T06HN38U0 XG40T09HN38U0 XG40T12HN38U0 22XR40FN PROG40-38URH62	RHG PRO40FN	P2R-40FN M2R-40FN	RUG PRO40FN	6G40V-38FN 12G40V-38FN	GG40T06TXK00 SG40T12TXK00	---	40	38,000
22V40FDVX* 22I40FDVX* PROG40- 36NRH59MHDVX* 24V40FDVX* 24I40FDVX* PROG40- 36NRH62MHDVX*				MV40FDVX			40	36,000
22V50FDVX* 22I50FDVX* PROG50- 36NRH59MHDVX* 24V50FDVX* 24I50FDVX* PROG50- 36NRH60MHDVX*				MV50FDVX			50	36,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

22VR50FN 22VR50FNVE XG50T06HN36U0 XG50T09HN36U0 XG50T12HN36U0 22XR50FN PROG50-36URH62 PRO+G50-36URH62	RHG PRO50FN	P2R-50FN M2R-50FN	RUG PRO50FN PRO+G50-36URH62	6G50V-36FN 12G50V-36FN	GG50T06TXK00 SG50T12TXK00	---	50	36,000
42V60FN 42V60FNVE XG60T06EN45U0 PRO+G60-45URH56 44V55FN 44V55FNVE 44X55FN PROG55-45U RH59 PRO+G55-45U RH59 XG55T06EN45U0 XG55T09EN45U0 XG55T12EN45U0	RHG PRO60FN	PH2-60FN	RUG PRO60FN M4-55N PROG55-45U RU59 PRO+G55-45U RU59	12G55-45FN 6G55-45FN 9G55-45FN	SG60T12YXS10	---	55	45,000
42VP40FN PROG40-36URH67PV	---	PVP40FN	---	6G40PV-36FN	---	---	40	36,000
42VP50FN PROG50-38URH67PV	---	PVP50FN	---	6G50PV-38FN	---	---	50	38,000
22V30FT* 22I30FT* PROG30-32NRH61MH* PROG30-26NRH61MHH*				6V30FT*	GG30T06MSK01*		30	32,000
22V40FT* 22I40FT* PROG40-34NRH59MH* PROG40-34NRH59MHH*				6V40FT*	GG40T06MSK01*		40	34,000
22V50FT* 22I50FT* PROG40-38NRH58MH* PROG40-38NRH58MHH*				6V50FT*	GG50T06MSK01*		50	38,000

\* Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**RHEEM SALES COMPANY**

(Certified @ 10 ng/JNOx)

<b>Rheem</b>	<b>Richmond</b>	<b>Ruud</b>	<b>INPUT (BTU/hr)</b>
44V40SFNEV PROG39S-38U RH62 EC1* XG39S06EN38U* 44X40SFN*	6G40S-38FN* 9G40S-38FN*	PROG39S-38U RU62 EC1* M4-40SFN*	38,000
44V50SFNEV PROG50S-40U RH60 EC1* XG50S06EN40U*	6G50S-40FN* 9G50S-40FN* 12G50S-40FN*	PROG50S-40U RU60 EC1*	40,000
44V55FNEV PRO+G55-45U RU59 EC1* XG55T06EN45U*	6G55-45FN* 12G55-45FN*	PRO+G55-45U RU59 EC1*	45,000
44VP40FN PROG40-36U RH67 PV* XG40T06PN36U*	6G40PV-36FN*	PROG40-36U RU67 PV1*	36,000
44VP50FN PROG50-38U RH67 PV* XG50T06PN38U*	6G50PV-38FN*	PROG50-38U RU67 PV*	38,000
23V40NE3 PRO+G40-38U RH67 PD* PROPG40-38U RH67 PD* XG40T12DU38U* XG40T12DU38U*W	6G40-38E2FN* 9G40-38E2FN* 12G40-38E2FN*	PRO+G40-38U RU67 PD* PROUG40-38U RU67 PD*	38,000
23V50NE3 PRO+G50-38U RH67 PD* PROPG50-38U RH67 PD* XG50T12DU38U* XG50T12DU38U*W	6G50-38E2FN* 9G50-38E2FN* 12G50-38E2FN*	PRO+G50-38U RU67 PD* PROUG50-38U RU67 PD*	38,000
24DV50FNEV PROG50-36U RH60 DV EC1 XG50T06DN36UO	6GDV50FN4	PROG50-36U RU60 DV EC1	36,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**RHEEM SALES COMPANY  
 Certified @ 15 ppm @ 3% O2 or 10 ng/J NOx**

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model			
Rheem			Rheem	Ruud	Richmond	Enercare
PROP G40-50U RH HE EC3	50,000	40	PROP G40-50U CN HE PROP G40-50U CN HE EC3 XG40S12UHN50C0 XG40S12UHN50U0	PROU G40-50U RU HE EC3	12GUH40-50FN	ECE G40-50U CN HE ECE G40-50U CN HE EC3
PROP G50-50U RH HE EC3	50,000	50	PROP G50-50U CN HE PROP G50-50U CN HE EC3 XG50T12UHN50C0 XG50T12UHN50U0	PROU G50-50U RU HE EC3	12GUH50-50FN	ECE G50-50U CN HE ECE G50-50U CN HE EC3

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY**  
 Certified @ 15 ppm @ 3% O2 or 10 ng/J NOx

Certified Base Models	Input Rating (BTU/hr)	Tank Capacity (Gallons)	Certified by Extension Models		
Rheem			Rheem	Ruud	Richmond
PROP G40-50U RH HE EC3	50,000	40	PRO+G40-50U RH HE EC1	PRO+G40-50U RU HE EC1	9GUH40-50FN
			XG40T09UHN50U0		
PROP G50-50U RH HE EC3	50,000	50	XG50T09UHN50U0	PRO+G50-50U RU HE EC1	9GUH50-50FN
			PRO+G50-50U RH HE EC1		

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS  
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**RHEEM SALES COMPANY  
 Certified @ 10 ng/J NOx**

Certified Base Models	Input Rating (BTU/hr)	Tank Capacity (Gallons)	Certified by Extension Models		
			Rheem	Ruud	Richmond
PROG40-34U RH EC1	34,000	40	XG40T06EN34U0	PROG40-34U RU EC1	6G50-34FN
			PROG40-34U RH EC1 TT	PROG40-34U RU EC1 TT	
PROG50-34U RH EC1	34,000	50	XG50T06EN34U0	PROG50-34U RU EC1	—
			XG40T06TN34U0		
			PROG50-34U RH EC1 TT	PROG50-34U RU EC1 TT	
			XG50T06TN34U0		
PROG48-48U RH EC1	48,000	48	XG50T06EN48U0	PROG48-48U RU EC1	6G50-48FN
PROG29-31U RH EC1	31,000	29	XG29T06EN31U0	PROG29-31U RU EC1	6G40-34FN

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY**  
 Certified @ 10 ng/J NOx

Certified Base Model	Max. Heat Input (BTU/hr)	Certified by Extension Model			
		Rheem	Richmond	Ruud	Sure
24V30FNEV	30,000	24X30FN1 PRO+G29-30U RH63 EC1 PROG29-30U RH63 EC1 XG29T06EN30U0	6G30-30FN4	M4-30FN1 PRO+G29-30U RU63 EC1 PROG29-30U RU63 EC1	
24V40FNEV	38,000	24X40FN1 PRO+G40-38U RH62 EC1 PROG40-38U RH62 EC1 XG40T12EN38U0 XG40T09EN38U0 XG40T06EN38U0	9G40-38FN4 12G40-38FN4 6G40-38FN4	M4-40FN1 PRO+G40-38U RU62 EC1 PROG40-38U RU62 EC1	SCG40T03UN38U0
24V50FNEV	38,000	24X50FN1 PROG50-38U RH60 EC1 XG50T06EN38U0	9G50-38FN4 12G50-38FN4 6G50-38FN4	M4-50FN1 PROG50-38U RU60 EC1	
22VR50FNEV	38,000	PRO+G50-38U RH62 EC1 PROG50-38U RH62 EC1 XG50T12HN38U1 XG50T09HN38U1 XG50T06HN38U1		PRO+G50-38U RU62 EC1 PROG50-38U RU62 EC1	

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**RHEEM SALES COMPANY**  
**Certified @ 10 ng/J NOx**

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Tank Capacity (Gallon)	Certified by Extension Model
Rheem			Rheem
XG29T06EN30U0	30,000	29	XG29T06EN30U*
XG40T06EN38U0	38,000	40	XG40T06EN38U*
XG40T09EN38U0			XG40T09EN38U*
XG40T12EN38U0			XG40T12EN38U*
XG50T06EN38U0		50	XG50T06EN38U*
XG50T12HN38U1			XG50T12HN38U*
XG50T09HN38U1			XG50T09HN38U*

\*additional characters denoting option packages



**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY**  
 Certified @ 10 ng/J NOx

Certified Base Model	Max. Heat Input Rating (BTU/hr)	Certified by Extension Model	
		Rheem	Friedrich
PROG40-38U RH62 EC1	38,000	PROG40-38U RH62 EC1 TT	6PROG 40-38U FD62 EC1
			6PROG 40-38U FD62 EC1 TT
PROG50-38U RH60 EC1	38,000	PROG50-38U RH60 EC1 TT	6PROG 50-38U FD60 EC1
			6PROG 50-38U FD60 EC1 TT
PROG29-30U RH63 EC1	30,000		6PROG 29-30U FD63 EC1
PROG50S-40U RH60 EC1*	40,000		6PROG 50S-40U FD60 EC1*
PROG39S-38U RH62 EC1*	38,000		6PROG 39S-38U FD62 EC1*
PROP G40-50U RH HE EC3	50,000		12PROG 40-50U FD HE EC3
PROP G50-50U RH HE EC3	50,000		12PROG 50-50U FD HE EC3
PRO+G40-50U RH HE EC1	50,000		8PROG 40-50U FD HE EC1
PRO+G50-50U RH HE EC1	50,000		8PROG 50-50U FD HE EC1

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**STONE MOUNTAIN TECHNOLOGIES, INC. (SMTI)**  
(Certified @ 10 ng/J NO<sub>x</sub>)

<b>SMTI</b>	<b>Input (BTU/hr)</b>
EX2370	6,300

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT**  
**RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS**  
**LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

**Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer**

**Manufacturers Contact Information**

<b>Manufacturer</b>	<b>Contact Name</b>	<b>Phone No.</b>	<b>E-mail</b>
American Standard Water Heaters	Mr. Victor Yanez Ms. Clarissa Solis	800-900-9063 ext 4	victor.yanez@ariston.com Clarissa.solis@ariston.com
A. O. Smith Water Products Company	Mr. Gary Delph	423-434-1540	gdelph@hotwater.com
Bradford White Corp.	Mr. Eric Truskoski	269-795-3364	etruskoski@bradfordwhite.com
DongYong Hot Water Systems (DYHOT)	Mr. Antony Hung	886-4-268-2226	Antony.hung@dyhot.com.tw
Rheem	Mr. Jason Hall	334-546-5890	Jason.Hall@rheem.com
Stone Mountain Technologies (SMTI)	Mr. Michael Garrabrant	423-435-7400	mgarrabrant@stonemnttechnologies.com

**For questions regarding Rule 1121 compliance, please contact:**

**Area Sources (909) 396-2390**

[areasources@aqmd.gov](mailto:areasources@aqmd.gov)

**For questions regarding Rule 1121 certification, please contact:**

**Susan Tsai (909) 396-2529 [stsai@aqmd.gov](mailto:stsai@aqmd.gov)**