

Report for:

Cynthia Berg
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

Regarding: Eurofins Built Environment Testing West, LLC
Project: 2025 LA Wildfires; Palisades Fire Station 23
EML ID: 3984403

Approved by:

Dates of Analysis:
Asbestos TEM - AHERA (40CFR Part 763, Subpart E, Appendix
A): 03-14-2025



Approved Signatory
Arthur Bucio

Service SOPs: Asbestos TEM - AHERA (40CFR Part 763, Subpart E, Appendix A) (EM-AS-S-8578)
NVLAP Lab Code 200757-0

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the samples as received and tested.

Eurofins Built Environment Testing West, LLC ("the Company"), a member of the Eurofins Built Environment Testing group of companies, shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Client: South Coast Air Quality Management District Date of Sampling: 03-11-2025
 C/O: Cynthia Berg Date of Receipt: 03-13-2025
 Re: 2025 LA Wildfires; Palisades Fire Station 23 Date of Report: 03-14-2025

ASBESTOS TEM AHERA REPORT

Lab ID-Version‡ Location Analysis Date	Volume (liters)	Area Analyzed (mm2)	Grid Openings Examined	Analytical Sensitivity (S/cm3)	Non- Asbestos Count	Asbestos Types	Asbestos Structures (S)		§ Asbestos Concentration	
							>= 5µm	>=0.5-<5µm	S/mm2	S/cm3
19814059-1 D1648668 Asbestos Sample 03/14/2025	7540	0.04	4	0.001	7	Amosite	1	0	24.752	0.001
Comments:										

§ Asbestos Concentration has been rounded to three significant figures to reflect analytical precision.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Digital images of diffraction patterns and copies of analytical bench sheets pertaining to this project are available upon request. The estimated measurement of uncertainty and 95% confidence interval for the test results are also available upon request.

The laboratory is not responsible for data collected by personnel who are not part of the laboratory. Results reported in both structures/cm3 and structures/mm2 are dependent on the volume of air sampled and measured by non-laboratory personnel.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

Client: South Coast Air Quality Management District Date of Sampling: 03-11-2025
C/O: Cynthia Berg Date of Receipt: 03-13-2025
Re: 2025 LA Wildfires; Palisades Fire Station 23 Date of Report: 03-14-2025

ASBESTOS TEM AHERA REPORT
PROJECT ANALYST AND SIGNATORY REPORT

Project Analyst



Analyst: Yue Wu

The test report shall not be reproduced except in full, without written approval of the laboratory. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. The Company reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified.

‡ A "Version" indicated by "-x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

